


"Canvas" Collection - Stocked in Kent




Installation Over Radiant Heat Approved

distributed by **Management Supply company**, Inc.




"Prime" Tower - Stocked in Kent



distributed by **Sale Supply company**, Inc.



"Strip" Tower - Stocked in Kent



distributed by **Call Supply company**, Inc.



"Oiled" Tower - Non Stock

Artisan Collec	tion						
Carob			Linen				
Length	Concrete Width Thickness		sf/ctn	pc/ctn	weight/ctn	ctn/plt	
74-3/4″	7-1/2″	5/8″	23.358	6	39 lbs	35	
Founders & Sn							
Fredrik	J	ohan	Ulf	Aspeland		More	
Length	Width	Thickness	sf/ctn	pc/ctn		ctn/plt	
95-1/4″	7-3/8″	5/8″	29.279	6	49 lbs	50	
Ε	Design: Plank						
Fea	atures: Rustic, Be	eveled					
Surface Treatment: Matte, Brushed							
Wear Layer: Oil finished							
Joint: Artisan: 5G Founders & Smaland: 5S			(γ)				
Wa		lesidential Finish, Structural mmercial					
Insta	llation: Float or (Slue					
Installation							

distributed by **Samply company**, Inc.

Non-Displayed - Stocked in Kent



Length: 95-3/8" Width: 7-7/8" Thickness: 1/2" sf/ctn: 36.598 pcs/ctn: 7 weight/ctn: 54 ctn/plt: 50



World - Brazilian Cherry Length: 95-3/8" Width: 7-7/8" Thickness: 5/8" sf/ctn: 31.324 pcs/ctn: 6 weight/ctn: 54 ctn/plt: 50



World - Jarrah Sydney Length: 95-3/8" Width: 7-7/8" Thickness: 5/8" sf/ctn: 31.324 pcs/ctn: 6 weight/ctn: 54 ctn/plt: 50

Kährs




American - Walnut Montreal

Length: 95-3/8" Width: 7-7/8" Thickness: 5/8" sf/ctn: 31.324 pcs/ctn: 6 weight/ctn: 54 ctn/plt: 50

Design: Plank Features: Matte Oak, Square Edge Surface Treatment: Smooth Wear Layer: UV Cured Urethane Joint: 55 Warranty: 25 Year Residential Finish, Lifetime Structural 5 Year Commercial Installation: Float or Glue

Installation Over Radiant Heat Approved





distributed by **Sale Supply company**, Inc.