



supply company, Inc.

A background image showing a pair of hands holding an open book, with the pages fanned out. The image is overlaid with a semi-transparent blue filter.

QUICK GUIDE



MDF Wood Floor Trim

LVL Heavy Coating - White 12'
 4.5" Base TRTTM318412
 5.5" Base TRTTM318512
 7/16" Shoe TRTTM012912
 11/16" Qtr Rnd... TRTTM010612
 Page 4

Genie-Mat Crumb Rubber

Crumb Rubber Underlay For Ceramic Tile
 Premium crumb rubber, 94% recycled tire
 Crack Isolation & Sound Control
GERST02 2mm 120 sf/roll
GERST05 5mm 300 sf/roll
 Page 33

Uzin U-Fixx

Membrane Adhesive
 Double sided sheet of adhesive, for fast tract projects, no down time no odor, install immediately, heat weld immediately.
 For most resilient products (Vinyl/Rubber)
 Page 2

TAYLOR RESOLUTE

* Heavy Commercial Adhesive
 * 100% Moisture Barrier
 * No Moisture Testing
 Vinyl & Rubber Sheet & Tile
 Linoleum Sheet & Tile
 Cork Sheet & Tile
 VCT - VET - PET - LVP - WPC - SVC
 Page 2

LiquiShield 100

ROLL-ON MOISTURE BARRIER
 Concrete substrate must be porous.
 * No Moisture Testing Required
 * 100% RH Moisture Barrier
 * No Limit Alkalinity PH
 * Roll On Fast Dry (60 min)
 Page 31

LATICRETE SPECTRALOCK-1

Pre-Mix Grout
 Strength & performance of epoxy, now found in SPECTRALOCK-1 Pre-Mix. This professional grade grout for residential and commercial use. Epoxy Performance, Interior-Exterior
 Easy To Apply - Easy To Clean
 Shower Use In 1 Day
 Submersible
 Page 36

- 4 adhesive - branded
- 1 adhesive - cross reference
- 2 adhesive - Powerhold & Taylor
- 24 backerboard & plywood
- 12 blades - knife
- 19 blades - scraper
- 32 brooms
- 32 builder board
- 13 carpet cutting
- 14 carpet seam products & tools
- 10 carpet seam tape
- 9 carpet seam irons
- 7 carpet stretchers
- 15 caulk
- 33 ceramic tile anti-fracture & uncoupling
- 39 ceramic tile care products
- 43 ceramic tile leveling systems
- 35 ceramic setting mortar - Laticrete
- 34 ceramic setting mortar - Powerhold
- 36 ceramic setting mortar - Uzin-Custom
- 44 ceramic spacers
- 41 ceramic tile cutting
- 43 ceramic tile tools & trowels
- 34 ceramic waterproofing
- 22 contact adhesive
- 22 cove stick & cap
- 18 cutters - laminate
- 18 floating floor accessories
- 46 floor cleaner
- 30 floor primer
- 32 floor protection
- 47 floor warming
- 8 glue guns
- 28 grinders
- 37 grout - Laticrete
- 38 grout - Uzin / Spectralock-1
- 44 grout floats
- 48 hand tools
- 18 hardwood hand tools
- 45 heat welding tools
- 7 kickers
- 17 knee pads
- 11 knives
- 18 laminate flooring tools
- 27 mixers - power
- 31 moisture control
- 49 moisture testing
- 13 moving equipment
- 6 nails

- 46 odor control
- 21 paint rollers & trays
- 30 patch: general purpose
- 21 plastic laminate tools & trim
- 24 plywood & board
- 12 pouches
- 27 power mixers
- 16 rollers - vinyl
- 16 resilient hand tools
- 13 safety products
- 27 sandpaper disks
- 46 saws & saw blades
- 19 scraper blades
- 19 scraper hand
- 28 scrapers & grinders - power
- 16 scribe paper & tools
- 46 scratch concealer
- 29 self leveling
- 35 setting mortar
- 22 shims & levelers
- 8 shears & scissors
- 27 shot blasters - ride on stripper
- 42 shower systems
- 22 solvent & cleaners
- 44 spacers - ceramic
- 44 sponges
- 6 staplers & staples - flooring
- 20 staplers & staples - hardwood
- 14 straight edges
- 7 stretchers
- 5 tackstrip
- 15 tackstrip adhesive
- 15 tape - general purpose
- 48 tools - general purpose
- 36 trim - ceramic tile
- 40 trim - luxury LVT-LVP
- 23 trim - flooring metal
- 21 trim - plastic laminate
- 4 trowels
- 47 under floor warming
- 24 underlayment
- 27 vacuums
- 23 vinyl cove cap & cove stick
- 25 vinyl trim & base Roppe
- 26 vinyl trim & base Johnsonite
- 22 wall base tools
- 34 waterproofing
- 16 wax rings
- 41 wet saws

ADHESIVE SELECTOR GUIDE					
WTACATEGORY	STYLE	Powerhold	WF Taylor	SprayLock	Other
Carpet	double glue	PH-4000 (good)	2055 (best)		Shaw 1000
	premium fast grab	PH-4000	Agile		
	action back economy	PH-2000			
	outdoor (non-urethane)		757		
	outdoor (urethane)		Resolute		
	carpet tile (PVC)		Versatile	6500	Shaw 5000
Carpet Pad Adhesive	solvent based		720		
	acrylic based		722		
Multi-Purpose (felt back vinyl - action bac carpet)	premium	PH-3000			
	contractor	PH-2000			
Felt Back Sheet Vinyl	commercial-residential	PH-6100		3500	Uzin 2000S
Solid Vinyl Sheet	homo-hetrogeneous		Pinnacle	3500	Uzin 2000S
Luxury Vinyl LVP-LVT	heavy commercial		Pinnacle	6500	Uzin 2000S
	multi-family	PH-6250	Dynamic	6500	Uzin 2000S
VCT Vinyl Composition	VCT	PH-1500 Green Lid	Steadfast	9500	
Glass Back Sheet Vinyl	fiberglass back vinyl		Dynamic-Versatile		Uzin 2000S
Linoleum	Linoleum		Resolute		Uzin 2000S
Resilient - Extreme	100% RH		Resolute		
Wall Base	rubber & vinyl	PH-5500	Finale		TA-9640
Wood-Bamboo-Cork	100% RH Solid-Engineered		Ridgeline		
	Solid & Engineered		Ironwood - Aspen		
	Glue Assist		Ironwood		
	Urethane		Timberline		
Carpet Seam Sealer	glue down solvent base		775		
	acrylic sol-free				Traxx Fusion
	100% pure latex		710		
	hot melt adhesive	PHT-8825			Kool-Stick
Ceramic Mastic	floor - wall		901	WTA	Laticrete #15
Contact Adhesive	flammable brush grade		1-N		3M FB-10
	water base brush grade				3M FB-30
	aerosol spray	PH-525	725		
Rubber	sheet, tile and crumb rubber		Pinnacle - Resolute		Uzin KE-66
Stair Treads			Pinnacle - Resolute		
Hot Melt Multi-Use		Power-Tite			

----- GENERAL GUIDELINES -----

Always read and follow the manufacturers complete installation instructions.

UZUN U-Fixx

UZUN U-Fixx is a double-sided adhesive tape for the installation of dimensionally stable textile and resilient floor coverings. U-Fixx dry adhesive technology does not require monitoring of flash times or trowel size selection associated with wet lay adhesives, eliminating costly potential for installation error.


A great tool for use on time-sensitive projects and in occupied areas.

UZUFIXX 242 square feet (29.5" x 98.5')



"The More You Walk On It
The Stronger The Bond"

- * Heat Weld Immediately
- * Always The Right Adhesive
- * Always The Right Amount Of Adhesive
- * Always The Right Open Time
- * Walk On It Immediately



POWERHOLD



PH-4000 Yellow Lid Fast Grab Carpet Adhesive

- * For Action, Unitary, Woven Back
- * Approved For Double Glue
- * Excellent Bond Strength Fast Tack
- * 90% RH Protection

direct glue 10-14 sq/yd gal
double glue 8-10 sq/yd gal
PH40004 4 gallon



PH-3000 Red Lid Premium Multi-Purpose

- * For Action Back Carpet & Felt Back Vinyl
 - * Good Bond Strength Fast Tack
 - * 90% RH Protection
- smooth back carpet 12-14 sq/yd gal
rough back carpet 10-12 sq/yd gal
felt back sheet vinyl 20-22 sq/yd sgal
PH30004 ... 4 gallon PH30001 .. 1 gallon

PH-2000 Blue Lid Standard Multi-Purpose

- * For Action Back Carpet & Felt Back Vinyl
 - * For Felt Back Sheet Vinyl
- smooth back carpet 12-14 sq/yd gal
rough back carpet 10-12 sq/yd gal
felt back sheet vinyl 20-22 sq/yd sgal
PH20004 ... 4 gallon

PH-5500 Wall Base Adhesive

Rubber-Vinyl, Fast Grab,
60 lin/feet per 30oz tube 4" base
PH550030 30 oz tube

PH-1500 VCT Adhesive

Rubber-Vinyl, Fast Grab, Clear Thin Spread
PH15004 4 gallon

PH-525 Spray Contact

Solvent Based, fast dry
PH525..... 12oz spray can

PH-6100 Felt Back Sheet

Felt Back Sheet Vinyl
PH61004 4 gallon

PH-6250 Transitional PS

Transitional Pressure Sensitive
LVP-LVT, Resilient Sheet
PH62504 4 gallon



Resolute Universal



Adhesive & Moisture barrier in one product. 100% Moisture Barrier

* For All Resilient Flooring

(Vinyl Sheet & Tile, Rubber Sheet & Tile, Crumb Rubber, Linoleum, Cork, Polyolefin, SPC/WPC, VCT/VET)

* Extreme Bond Strength - Replaces Epoxy Adhesive

* Sound Reduction IIC Delta 18

* Unrestricted Alkalinity pH

* No Moisture Testing Required

'300-360 sq/ft per 2 gallon unit
item# WFRRESOLUTE2 2 gallon



note: porous substrate required for moisture protection

New - GRAVITY

Gravity is a roll on anti-skid liquid that keeps loose lay vinyl plank in place with no adhesion. 85% RH 1-coat; 90% RH 2-coats.

* Simple Roll On

* 2 Hour Dry - 24 Hour Open

'350 sq/ft per 1 coat; 200 sf/gal 2-coats gallon unit
item# WFGRAVITY4 4 gallon



Wood Adhesive	Ridgeline 100% Moisture	4 gal	WFRIDGELINE4
	Ironwood 90% RH	4 gal	WFIRONWOOD4
	Aspen 80% RH	4 gal	WFASPEN4
	Glue Assist ... Ironwood 30oz ...	30oz	WFIRONWOOD30
Resilient Adhesive	Pinnacle PS firm set	1 gal	WFPINNACLE1
	Pinnacle PS Firm Set	4 gal	WFPINNACLE4
	Dynamic PS Moderate Set	1 gal	WFDYNAMIC1
	Dynamic PS Moderate Set	4 gal	WFDYNAMIC4
Outdoor Carpet	#757 solvent based adhesive	1 gal	WF7571
	#757 solvent based adhesive	4 gal	WF7574
Broadloom Carpet	Agile premium carpet adhesive ...	4 gal	WFGAGILE4
	2055 Ultra Premium Adhesive	4 gal	WF20554
Carpet Tile	Versatile Pressure Sensitive	1 gal	WFVERSATILE1
	Versatile Pressure Sensitive	4 gal	WFVERSATILE4
VCT Adhesive	Steadfast Clear Thinspread	1 gal	WFSTEADFAST1
	Steadfast Clear Thinspread	4 gal	WFSTEADFAST4
Wall Base Adh	Finale wall base rubber-vinyl	1 gal	WFFINALE1
	Finale wall base rubber vinyl	30oz	WFFINALE30
	Finale wall base rubber-vinyl	10oz	WFFINALE10
	Finale wall base rubber vinyl	4 gal	WFFINALE4
Felt Back Sheet	Agile multi-purpose adhesive	1 gal	WFGAGILE1

Trowel Selector Guide
















width

depth

apart

General Guidelines - always refer to manufacturer's requirements.

width x depth x space apart

<p>T1T 1/16 x 1/32 x 5/64 U sheet vinyl - non-porous</p>  <p>rubber handle FU20044 Versablade GU680WHA</p> <p>(approx 22-24 s/y gallon)</p>	<p>T2T 1/16 x 1/32 x 1/32 U solid vinyl tile non-porous</p>  <p>rubber handle FU20051 CR422 wood handle 14" XL FU20047 Versablade GU680FFA</p> <p>(approx 20-22 s/y gallon)</p>	<p>T3T 1/16 x 1/16 x 3/32 U sheet vinyl</p>  <p>rubber handle FU20052 (approx 18-20 s/y gallon)</p>
<p>T9T 1/16 x 1/16 x 1/16 V sheet vinyl</p>  <p>CR431 wood handle Versablade GU680ACT</p> <p>(approx 18-20 s/y gallon)</p>	<p>T4T 1/16 x 1/16 x 1/16 sq 1/8" VCT sheet vinyl</p>  <p>rubber handle FU20056 CR420 wood handle 14" XL FU20048 Versablade GU680FCA (approx 16-18 s/y gallon)</p>	<p>T5T 1/8 x 1/8 x 1/16 U double glue carpet</p>  <p>CR430 wood handle (approx 6-8 s/y gallon)</p>
<p>T6T 3/32 x 3/32 x 3/32 V smooth back carpet</p>  <p>rubber handle FU20060 CR424 wood handle Versablade GU680RCA</p> <p>(approx 12-14 s/y gallon)</p>	<p>T7T 1/8 x 1/8 x 1/16 V action-unitary back carpet</p>  <p>rubber handle FU20061 CR423 wood handle 14" XL FU20049 Versablade GU680FOW (approx 10-12 s/y gallon)</p>	<p>T10T 3/16 x 5/32 V ceramic</p>  <p>rubber handle FU20059</p> <p>(approx 50-60 sq/ft gallon)</p>
<p>T11T 1/4 x 3/16 V ceramic</p>  <p>CR425 wood handle Versablade GU680CWM</p> <p>(approx 40-50 sq/ft gallon)</p>	<p>T13T 1/4 x 1/4 x 1/4 sq ceramic floor-wall</p>  <p>CR426 wood handle Versablade GU680CTB</p> <p>(approx 80-90 sq/ft 50lb bag)</p>	<p>T14T 1/4 x 3/8 x 1/4 sq quarry tile</p>  <p>CR428 wood handle Versablade GU680QT</p> <p>(approx 60-65 sq/ft 50lb bag)</p>
<p>T15T 1/2 x 1/2 x 1/2 sq stone-granite-medium bed</p>  <p>CR429 wood handle (approx 40-45 sq/ft 50lb bag)</p>	<p>T19T 3/16 x 1/4 x 1/2 Flat V wood flooring</p>  <p>rubber handle FU20046 (approx 60 sq/ft gallon)</p>	<p>T20T 3/16 x 1/4 x 5/16 Flat V wood flooring</p>  <p>rubber handle FU30000 (approx 50 sq/ft gallon)</p>

GENERAL GUIDELINES

Always refer to the manufacturers product data sheet for complete installation instructions.

WOOD FLOOR TRIM

LVL WOOD BASE

- * LVL Laminated Veneer
- Lumber Multi-PlyMulti
- * White Curtain Coating



4.25" Colonial Base

9/16" Thick 10 Pieces Per Bundle 12' TRTTM318412

5.25" Colonial Base

9/16" Thick 10 Pieces Per Bundle 12' TRTTM318412

7/16" Base Shoe

11/16" Height 12' Length
50 Pieces Per Bundle
TRTTM012912



11/16" Quarter Round

12' Length
30 Pieces Per Bundle
TRTTM010612



BRAND CENTRAL



1000 Carpet Adhesive
WF10004 4 gal
5000 Pressure Sensitive
WF50004 4 gal



Q-Bond PS Adhesive TKQBOND1 1 gal
TKQBOND4 4 gal
Spray-Smart spray adhesive.. TKSS901 22oz
#925resilient adhTK9251 1 gal
TK9254 4 gal



95% RH
SLRES22 Residential
SL3500 Vinyl Sheet
SL6500 LVP-LVT Carpet Tile
SL9500 VCT
SLES D ESD Tile

22oz Can

**98% RH
Platinum**
SL6500P LVP-LVT
SL9500P VCT

Notched Trowels

Futura Rubber Handle

aluminum alloy mounting
Soft-Grip rubber handle
hard tempered steel blade

4.5" x 11"



Futura XL Rubber Handle

aluminum alloy mounting
Soft-Grip rubber handle
hard tempered steel blade

4.5" x 14"



Crain Wood Handle

aluminum alloy mounting
contoured wood handle
hard tempered steel blade

4.5" x 14"



VersaBlade



4.5" x 11.5"



#GU682TH
Red



#GU683TH
Blue



#GU684TH
open handle

Spreader
3" CR040



Finish Trowels

14" finish trowel

rubber handle
spring steel riveted
FU20062



14" finish trowel

wood handle
spring steel riveted
CR434



16" & 18" finish trowel

rubber handle
high carbon spring steel
GUCF416 16"
GUCF418 18"



16" round corner trowel

wood handle spring steel
riveted 4" width CR439



TACKSTRIP



Standard = E Pin

Premium Birch (Commercial-Residential)			
<p>Standard 7/8" wide</p>		<p>TRHPS4249 1-1/4" Accoustical nail 400 lin/ft</p>	
<p>Extra-Wide Premium 1" wide</p>	<p>PHS4421 1" wood nail 400 lin/ft</p>	<p>PHS4442 5/8" concrete nail 400 lin/ft</p>	<p>TRHPS4410 no-nail 400 lin/ft</p> <p>TRHPS4410S no-nail 400 lin/ft</p> <p>TRHPS4410XS no-nail 400 lin/ft</p>
<p>Tri-Grip 1.25"</p>	<p>TRMXS4620 3/4" wood nail 280 lin/ft</p>	<p>TRMXS4642 5/8" concrete nail 280 lin/ft</p>	<p>TRHPS4610 no-nail 280 lin/ft</p>
<p>Commercial 1.75"</p>		<p>TRMXS4842 5/8" concrete nail 200 lin/ft</p>	<p>TRHPS4810 no-nail 200 lin/ft</p>
Premium Poplar (Residential)			
<p>Extra-Wide 1"</p>	<p>TRPPS4421 1" wood nail 400 lin/ft</p>	<p>TRPPS4442 5/8" concrete nail 400 lin/ft</p>	
<p>Tri-Grip 1-1/4" wide</p>		<p>TRCTS4642 5/8" concrete nail 280 lin/ft</p>	














Strip Cutter #CR450
cuts commercial wide strip



Strip Cutter Blades #CR451
plastic container of 12 blades

NAILS

concrete		1/2"	TRTXN13585	12 ga	5#
concrete		11/16"	TRTXN13611	12 ga	1#
concrete		1/2"	TRTXN14585	10 ga	5#
concrete		5/8"	TRTXN14605	10 ga	5#
concrete		3/4"	TRTXN14621	10 ga	1#
concrete		1"	TRTXN14665	10 ga	5#
acoustical		1-1/4"	TRTXN18705	drive	5#
ringshank		1-1/4"	TRTXN11705	drive	5#
ringshank		1-1/2"	TRTXN11745	drive	5#
blue lathe		1-1/4"	TRTXN12705	small head	5#
plasterboard		1-1/4"	TRTXN12365	large head	5#

Decorative Drive Nails:



Large Head



Countersunk

Silver:

large head TRTXN1726S1 1#

counter sunk TRTXN1722S1 1#

Gold:

large head TRTXN1728G1 1#

counter sunk TRTXN1724G1 1#

Nickel:

large head TRTXN1734N1 1#

Bronze:

large head FU489008 25pk



Aluminum Drive Nails:

drill a 1/8" hole, when the aluminum nail is driven in, the nail expands and holds tight, excellent for tackstrip & metal trim



bit adapter CR225



solid carbide bit CR223C

5/8" length ... CR580 1lb

7/8" length ... CR780 1lb

Nail Bags:

Heavy duty canvas bags with

Velcro closure for nail storage

TRHN711 Assorted Colors



FLOORING STAPLERS & STAPLES

A11 Stapler

Rapid-11 Style,
Ergo Handle
A11 3/8" staples
Pad-Pro Plus
#PHXPPA11



Powerhold A11D Staple

Divergent point 3/8"
#PHFA1110D
5,000 per box




7512 Stapler

7512 Style staple, 7512 3/8"
staples, HD construction
#PHXPP7500



Powerhold 7512D Staple

Divergent point 3/8"
#PHF7512D
5,000 per box



Powerhold 5418D Staple

narrow crown divergent point
for electric staplers
PHF5418D
5,000 per box



Crain "OPTO"

Compact and powerful. Narrow profile fits
into tight spots. Comes with case.
Jam resistant.

#CR635



Traxx 5418 "Euro"

Electric Stapler, Industrial strength, quick
load, low profile, 12' cord, Italian made,
Carbon Fiber Housing - Lightweight
Durable

#TRTTXPP5418



Traxx A11D Staple

Divergent point 3/8"
#TRTXFA1110D
5,000 per box




KICKERS & STRETCHERS



Deluxe Kicker

quick adjust
heavy bumper
#PH150K



PH1501
pin plate

PH1502
gripper

Crain 445

fast adjust, lightweight,
dependable (Red)
#CR445



CR1601B ... pin plate
CR1505D ... bumper
CR1505K ... gripper

Crain 505 Economy

thick bumper, button adjust,
high neck (Blue)
#CR505



CR1601B ... pin plate
CR1505D ... bumper
CR1505K ... gripper

Crain 525 "wide head"

5.25" wide head 4 rows of grippers
#CR525

CR1600C deluxe bumper
CR152512 pin plate
CR152514 gripper



Crain 605 Deluxe

thick bumper, button adjust,
high neck (Silver)
#CR605



CR1601B ... pin plate
CR1600C ... bumper
CR1505K ... gripper

Roberts #501

Golden Touch Kicker
Quick Adjust #RO10501
CR1505C Deluxe Bumper
CR1600D Bumper
RO1050108 Base Plate



Crain 520 Deluxe Swivel Loc

power lock handle
double case
roller wheel
tail block & 3 poles
and 1 Auto-Loc
#CR520



Crain 499 Standard Fixed Head

power lock handle
double case
roller wheel
tail block & 3 poles
and 1 Auto-Loc
#CR499



Stretcher Head Unit

head only
CR1500U



Head Only

Shark Teeth

Fits Crain kickers
TA80015 3 pack



kicker pick row finder

TA80016



Mini-Stretcher

w/seam repair unit
includes case #CR514



Stretcher Spike

single prong unit GU737
double prong unit GU747
replacement spike ... GU73702



Spreader

GU486



Adjustable Tube

3' Crain Auto-Loc CR501



Stretcher Tubes

3' steel CR502
3' aluminum CR516
5' aluminum CR517



GLUE GUNS & GLUE STICKS


Carpet Sealing Tip

GU4RS right hand

GU4LS left hand

GU3630 adapter

seals carpet edges with hot melt glue, increases seam strength and reduces seam peaking



Micro-Nozzle

TRTTX6584

piercing tip



double barrel nozzle

TRTTX6582



with Fusion Tip

Traxx Premium Seam Seal Glue Gun

- heats up fast-to 380°
- holds heat longer for extended work time
- fast feed trigger system
- designed for seam sealing and general use



Seam Seal Glue Sticks

10" 8 pack PHT8825

POWER-tite #300

STRETCH IN 5 MINUTES

#PH-6300 300 Watt
Glue Applicator System

- High Output,
30% More Adhesive
- Adjustable temperature
 - Drip free nozzle
- average 1 glue stick
per 4' tackstrip



POWER-tite Glue Sticks

5 minute cure time
porous & non-porous substrates



- tackstrip
- metal trim
- vinyl trim
- wood moldings

standard	PHX65601	10" sticks	22 per pack	45 second open time
extended time	PHX65611	10" sticks	22 per pack	180 second open time

SHEARS

8" Curved Shear

CR496



Small Duckbill Shear

CR190



Large Duckbill Shear

CR187



CARPET SEAMING TOOLS

TRAXX Blue-Fin "Fusion"

premium seam iron - dual indicator lights

- Even heat over entire base
- Cooler heat shield
- Dual light indicators
- Large control knob
- 15' heavy duty cord
- Extended tail groove
- Reinforced handle



Evenly spreads heat over the entire iron base. High-quality thermostat reduces high/low temperature swings! Heat shield stays cooler to protect today's softer, temperature sensitive carpets! Heat shield temperature has been "tuned" to perfectly re-activate TRAXX seam welding sticks.

4" wide ... TRTTX6250

6" wide ... TRTTX6251


Crain #905 Heat Bond Iron

- dual indicator lights
- "EASY READ" heat control
- electronic heat control
- very even heat
- grooved base
- low profile
- #CR905



Seam Board

- flexible - pulls out at wall
- teflon coated
- tape guide centers tape
- tem# SEBOARD



KoolGlide "Pro-II" 3X Faster Cycle

The KoolGlide system is a new and completely unique method of making carpet seams. The KoolGlide tool is run **ON TOP OF THE CARPET**. The glue on the seam tape is heated from the bottom up, keeping the carpet cool and preventing distortion!

- reduces distortion
- eliminates smoke-odor
- fast and easy to use
- instant ready use
- no messy clean up
- bonds on demand
- reconstruct seams



KoolGlide technology uses a lightweight hand-held electronic tool that melts the adhesive using a pre-programmed heating cycle, controlled by a state-of-the-art microprocessor. KoolGlide creates a powerful bond that can be stopped and started anywhere along the seam, and can easily be removed later for easy repairs.

SEKGP KoolGlide "Wave" Seaming Tool
SESUPERDBLTAPE ... double glue tape 66'
SEUTILITYTAPE utility tape 66'
SEKGP Commercial..... 66'
SEKGT tape for vinyl plank board replacement 66'

Seamer Down Pro

Powerful vacuum pulls heat and moisture up and out of the carpet while it draws the adhesive up into the carpet backing. The results are a flat cool seam that can be stretched in minutes.

Powerful 2hp motor.

TRSDPRO



CARPET SEAM TAPE


Universal EVA Adhesive

PH-390

Amber Adhesive
Universal EVA
Formula
#PHT9490

4"

66' roll - UNIVERSAL ADHESIVE
universal for all backings
wide center bead - Amber Adhesive
11 bead construction
EVA Universal Formula
HEAVY COMMERCIAL
HEAVY RESIDENTIAL



Action
Jute
Soft-Bac
Woven
Life-Guard
UPS
UPS-Flex



Heavy Commercial - Heavy Residential

PH-350

Amber
Adhesive
PHT8450

4"

66' roll, Amber adhesive
Heavy Adhesive
low smoke - low odor
moderate melt setting 2.5



Action
Jute
Woven
Soft-Bac
LifeGuard



Traxx STIXX S50W-BOX White

TRS50WBOX

4"

Box - 2 individual 100 lin/ft rolls
White Adhesive
low smoke - low odor
moderate melt setting 2.5



Action
Jute
Woven
Soft-Bac
LifeGuard



PH-6

Amber
Adhesive
PHT8692

6"

66' roll, 6" width
Amber Adhesive
low smoke - low odor
moderate melt setting 2.5



Action
Jute
Woven
Soft-Bac
LifeGuard



Light Commercial - Heavy Residential

PH-250

Amber
Adhesive
PHT8330

3"

66' roll - 9 bead construction
Amber Adhesive
low smoke - low odor
moderate melt setting 2.5



Action
Jute
Soft-Bac
LifeGuard



Traxx STIXX S40W-BOX White

TRS40WBOX

3"

200 lf Box - 2 individual 100 lin/ft rolls
White Adhesive
low smoke - low odor
moderate melt setting 2.5



Action
Jute
Soft-Bac
LifeGuard



Sure-Grip Gold Adhesive #TRSG3

4"

66' roll - Economy
high melt setting 3



Action
Jute
Soft-Bac
LifeGuard



Standard Residential

PH-150

Amber
Adhesive
PHT8310

3"

66' roll - Amber adhesive
low smoke - low odor
moderate melt setting 2.5



Action
Jute



Double Glue

DSPS # SEDSPS

66' roll - Universal EVA Adhesive
PS Adhesive Bottom Side
moderate melt setting 2.5



Cold Seam Tape

S-100 # SEC615

15' roll (retail boxed)
Pressure Sensitive Adhesive
*** do not use seam iron**



KNIVES

Slotted - Push Button
GU230



Personna White Lightning
AM630228



TRAXX Slotted Action Knife
TRTTX6700



Slotted - Hook Handle CR217



Slotted - Easy Grip CR726



Orange
TRTTX67010



Blue TRTTX6701B
Green TRTTX6701SG
Pink TRTTX6701P

Utility - Hook Handle CR189



TRAXX Utility Action Knife
TRTTX6711O Orange



Blue TRTTX6711B
Green TRTTX6711G
Pink TRTTX6711P

Utility - Extra Grip Contour CR732



Crain 730 Utility CR730



Orcon Action Utility Knife
Chrome OR13222



Orcon Slotted Knife
Blue OR13322



Orcon Slotted Blade
OR1363



Utility - Shark Knife
GU101SK with case



Utility - Wolff Dolphin Knife
WO48221 with case



Multi-Use Tucking Knife
CR175
blade: CR177 each



PERSONNA LVT Knife
Scores dense hard
to cut LVT
TRPSB0800



Replacement Blade
TRPSB0801 10pk

Dexter Custom gold handle
CR070



Crain Combo
CR102



Dexter fixed blade
CR060



KNIFE BLADES

PERSONNA®




Safety Pack 10 packs of 10

- * Armor Edge High Performance
- * Sharpest Edge
- * Most Durable & Long Lasting
- * Highest Carbon Steel



Round Corner Slotted
61-0217 100pk Round Corner
AM610217 100 pack (10 packs of 10)



Square Corner Slotted
61-0223 100pk Round Corner
AM610223 100 pack (10 packs of 10)




Utility Blades
61-0003 100pk HD
AM610003 100 pack



Trimmer Blades
Single Side Grind
AM610850 100 pack (10 packs of 10)

LVT Blade

Triple Grind Edge for long lasting sharp edge.
Designed for cutting dense hard LV.
TRPSB0109 ... 100 pack



POWERHOLD



Round Corner Slotted
PH817 Safety Dispenser 100 pack
PHB0017 100 pack (10 packs of 10)

- * Professional Quality
- * Tru-Edge Sharpness
- * Long Lasting
- * High Carbon Steel




dispenser




Square Corner Slotted
PH 823 Safety Dispenser 100 Pack
PHB0023 100 Pack (10 packs of 10)



dispenser



Utility Blade
PHB0003 100 pk/box (10 packs of 10)



Large Hook Blade
PHB0105
10 pack (10 packs per box)



Medium Hook Blade
PHB0104
10pack (10 packs per box)



Concave Blades
PHB0106
10 pack (10 packs per box)



Single Pocket
Fiber Lined
PH408



Single Pocket
with tape clip
PH406



Flat Pocket
PH412



5 Pocket
PH700



5 Pocket
with tape clip
PH701



Single
Knife
PH67



KNIFE POUCHES

CARPET CUTTING TOOLS

Cushion Back Cutter

slender guide stays in row
30° angle blade
Crain #CR301



Loop Pile Cutter

stainless steel construction
30° angle blade
adjustable throat
Crain #CR303



Cushion Back Cutter

slender guide stays in row
row 30° angle blade
trims close to edge
Crain #CR302



Wall Trimmer

quick change blade
adjustable handle
Crain #CR246



“Jus-Push” stand up cutter Crain #CR265

rough cuts carpet or cuts
existing carpet into strips
for removal.
Uses a hook or utility
blade



CR266
replacement point

Row Finders:

Loop Pile Crain #CR366

deluxe row separator
unique action separate rows
even in difficult carpet



Cut Pile Crain #CR367

deluxe row separator
unique action helps to separate
rows even in difficult carpet



Row Separator

Crain #CR365

For loop pile and cut pile carpet.



SAFETY & MOVING EQUIPMENT

safety glasses

wrap around
#ULS13390C



safety goggles

elastic strap
#ULS7023



Nitrile Gloves 4mil

6 mil Nitrile GUVEN6045N Black
4 mil Nitrile GUVEN4145 Blue



Air Sled

lifts up to 800 lbs
on a cushion of air
CR280



Carpet Cart

Compact
#GU427



Large Carpet Cart

Special Order
#GU847



ear plugs

1 pair per pkg
#BA70712



shoe covers

10 pair per box
#SSSC3001PB



CARPET SEAMING PRODUCTS

100% Latex

Used for carpet seam sealing or carpet repair

WF710QT
quart bottle



TRAXX Fusion

acrylic sol-free
fast dry formula
#TRTTX885008 8oz
#TRTTX885032 32oz




with
UV Tracers



Glue Down Carpet Seam Adhesive:

solvent base
WF775QT.... quart



Star Roller



4" Orcon #OR1361
6" Orcon #OR1360

Smooth Roller



4" Orcon #OR1374

Box Roller Star Roller CR476



Hot Melt Seam Sealer

10" glue sticks
PHT8825 ... 8 pack



SEAM BOTTLE

with special tip
for application 8oz
TRHT745



Crain Square

steel
CR912 8" x 12"
CR915 16" x 24"



Journeyman

red powder coated to prevent rust
#CR113 6' #CR113S 4'



Professional (spring steel)

blue powder coated to prevent rust
#CR334 6' #CR334S 4'



Economy (aluminum)

#CR536 6' #CR535 3'



Serpentine Combination 75"


CR119



18" Flexible (spring steel) #CR116



seam weight
for flatter seams
TRTTX6220



Crain 180

seam squeezers (pair)
#CR180



CAULK

100% RTV Silicone Caulk

long lasting & excellent adhesion, 10.3oz with resealable cap

A superior performance 100% RTV silicone sealant that provides a flexible, water-resistant seal against moisture and mildew. Ideal for caulking and sealing bathtubs, sinks, cabinets, countertops, shower stalls, backsplashes, plumbing fixtures, etc

White INGP70SWHI10 Clear INGP70SCLE10 Translucent INGP70STRA10



Laticrete

Matches Laticrete Grout Colors

10.3 oz tubes

* 100% Silicone

* Acrylic Sanded

* 6 colors Acrylic Non-Sanded



GENERAL PURPOSE TAPE

"Gummy" Double Stick

Multi-Purpose Pressure Sensitive Tape

High Strength Performance Fiber Reinforced

*Wall Base - Transitions

Cove Stick - Moldings



UZUTACK1 1" X 164'

UZUTACK1.5 ... 1.5" X 164'

UZUTACK2 2" X 164'

UZUTACK3 3.25" X 164'

PHST6164PH ... 6" X 164'

PHST95164PH .. 9" X 164'



Duct Tape

Premium Silver

2" x 180'

SHPC600



Economy Red

2" x 180'

SHPC009R



Paper Pad Tape

2" x 165'

SHFP96



Blue "Painters" Tape

Premium

2" x 180' 14 Day

SHCP027



Economy "Colonial"

2" x 180' 14 Day

SHCP011

please note: blue painters tape is not warranted for flooring with Urethane finishes.
Please see Hardwood Floor Tape SSTAPE90

Foam Tape

Double Sided

SHDF132


3/4" x 108'



Strapping

3/4" x 180'

SHGS501



Double Sided

professional cloth

2" X 75'

SHDF545



Masking Standard

2" x 180' Tan

SHCP101



Hardwood Floor Tape

RamBoard Tape for Prefinished

Urethane Finishes

90 Day Removal

SSTAPE90 2" x 164'



Caution Floor Tape

Moderate Adhesive

Yellow-Black

SHVP415

2" X 100'



Caution Tape

Non Adhesive Sag-Resistant

SHBT100YEL

Yellow - Black

3" X 1000'



Danger Tape

Non Adhesive Sag-Resistant

SHBT100RED

Red - Black

3" X 1000'



TACKSTRIP ADHESIVE

Parabond 363

Seam Sealer/Tackstrip Adhesive

• High Strength Fast Dry

PAM363QT ... Quart (Non-Flam Solvent)



Jet-Tac

Quick set epoxy. 10oz cartridge

Fits standard caulking gun

SO650651 Cartridge

SO650650 Nozzle (3 pack)



Tackstrip Adhesive

one part moisture cure polyurethane firm set

Stretch in approximately 2 hours

PH94928 ... 28 oz

PH94910 ... 10 oz



PowerTite PH-300 / 300 watt power

fast and easy, ready to use in 5 minutes

1 stick per 4' length of tackstrip

PHX6300 glue gun

• tackstrip

• molding (wood & vinyl)

• porous & non-porous substrates

Standard: 50 seconds

PHX65601 10" sticks 17p

PHX6560B Bulk 22lb (374 pack)

Extended Set: 120 Seconds

PHX65611 10" Sticks 17pk

PHX6561B Bulk 22lb (374pk)



TTX-6582
double hole
nozzle

Resilient Hand Tools

Lino-Cut

Wolff #WO40262
quality seam cutter for linoleum
& commercial PVC sheet goods
scribes & cuts in 1 pass

blades 10pk
WO13429



Green-Cut #63998

Strip & Salvage Edge Cutter
Cuts selvege edge off prior to
seaming and cuts strips

Straight Blades
100 pk #WO13419

Hook Blades
100 pk # WO13421



Crain #340

Armstrong style edge trimmer
quickly trim the factory edge of
non-patterned commercial
sheet vinyl
CR341 S-32
blades (each)



CR995 Heat Gun

up to 1000°



*comes with case

CR460

applicator
bottle



CR333

3-wheel hand roller
extendable handle
17" to 27"



"J" roller

CR346



CR380 dividers

CR1380F pen tip
CR1380G body
CR1380P inking leg



Cove Corners

outside .. CR270 Silver
inside CR271 Silver
(25 per tube)



Wax Rings

with flange ... PA90220
w/o flange PA90210
extra thick w/bolts ... PA001119
bolts(pair) PABOLT
bolt covers ..(pair) .. PAFLUI7115



CR016

36" vinyl dolly



Steel Hand Roller Round head:

9" handle CR349



Lino Roller

Comes with carry
case with wheels

CR075 #75

CR076 #100



Scribes

6" Bar Scribe
CR111



Hinge Scribe
CR188



Recess Scribe
CR370



Scribe Paper

Black Fortifiber
36" x 150'
FOA522040



USG Scribe Paper

USGP ... 3' x 167' (500 s/f)
(same paper that is on sheetrock)

KNEE PROTECTION



TRAXX 400-PRO

Full Knee & Shin Support Comfortable for all day use. Lightweight durable outer layer. Wide flat base for maximum support.
#TRTTX6440

TRTTX6441

Replacement Inserts (pair)



TRAXX 200-PRO

Standard knee & shin support. Comfortable for all day use.
#TRTTX6420

TRTTX6421

Replacement Inserts (pair)



Comfort Pad

Polyurethane skin face
Upper "Kicker" pad
Wide Velcro Straps
Heavy Duty
Crain Tools #CR196



EZ Kneeler

soft durable Neoprene face
Extra Pad For Knee Kicking
Velcro Strap
Powerhold #PH197



Super Soft

Super-Soft
Leather Cover
Velcro Straps
Large Base
Washable
GU209XLL



Powerhold 399

Super-Soft Neoprene face
Push button clip
Neoprene strap
Powerhold #PH399



Swivel
Clip



Titon Long Cap

Swivel Button Clasp
Neoprene Buckle Strap
Extended Cap For Comfort
White No-Mar Cap
#WH385WH



Swivel
Clip



Round Hard Cap

Hard Swivel Cap For Mobility
Neoprene Buckle Strap
Swivel Button Clasp
Hard Round Cap
#WH383WH



Swivel
Clip



Economy

Tread Design Cap
Lightweight Foam Body
Velcro Strap
Flat Stable Surface
#WH303



Super Protection

Super Soft Insert
Fabric Face
Push Button Clasp
Neoprene Strap
#PH397



Swivel
Clip



Leather

Top grain leather
thick 1/2" felt lining
Quick Release Button
Neoprene Strap
#PH314



Swivel
Clip



Flexible Vinyl

Flexible Vinyl
Accordion Style
Ultra-Light
KN-1 Design
#PH386



Cutters

Crain Cutter Company

The Crain 13" Wood Cutter is designed to cut wood, laminate and LVT planks up to 3/4" thick. This cutter comes fully assembled and includes a movable fence for diagonal cuts, cut guide for repeat cuts and sharpening stone.* HD Bearings

* Laminate-Wood

* Vinyl-LVP-LVT-VCT

13" CR673 blade CR674

9" CR679 blade CR681



D-CUT RC-200

Contour Wall Base Cutter

* Rubber-Vinyl Contour Base

* Bevel Cuts

Outside Corners

#DCRC200 Cutter

#DCRC200B Blade



VCT Tile Cutter

12"x12" VCT Tile

w/roller case

item# CR001



Crain Cutter Company

* HD Bearings

* Carpet Tile-Vinyl-Rubber

* 24" Cutting

item #CR675

Blade #CR676

Special
Order



Floating Floor Accessories

AquaBar Barrier Paper

Asphalt laminated duplex type kraft paper 3' x 167' (500 s/f approx)

AquaBar is an extremely effective moisture vapor retarder for use under hardwood flooring. AquaBar slows moisture migration and is a superior vapor retarder.

It is not a waterproof membrane.

item# FOAQUABAR



6mil Poly

6mil polyethylene film for moisture protection #FOPOLY 120 sf (10'x12')



Wood Miter

Makes fast angle cuts in wood quarter round, eliminating the need for a chop saw. The stout 2-1/2" long high carbon steel blade is strong enough and sharp enough to shear cut wood materials cleanly. Best with soft woods such as Pine & MDF. CR855 replacement blade CR856



DIY Installation Kit

30 spacers, 1 tapping block, 1 pull bar #RO1026

Tongue & Groove Adhesive

universal tongue & groove adhesive for wood and bamboo flooring WF204916 ... 16oz



18' Strap #CR565



Pull Bar #CR560



Tapping Block

Crain CR563 Black with handle

Crain CR569 11-3/4" length



AV2 Adjustable Spacers

quick adjust with turn of knob, holds position until reversed

4 spacers per box #GUAV2



Roto Wedges

U-shaped will not tip over 3/16" one side 1/4" other CR562 (10pk)



Hand Scrapers - Scraper Blades - Carpet Clamps

HARDWOOD FLOORING STAPLERS



LFN-50 16ga Cleat Nailer - Solid Hardwood

High-Pro Mallet fired pneumatic cleat nailer.

- * 16 gauge Power Cleats **16 ga L-Cleats**
- * 1.5" to 2" Cleats HICL15016GA 1-1/2" 1m box
- * Magazine capacity 100 cleats HICL17516GA 1-3/4" 1m box
- * with case HICL20016GA 2" 1m box
- # HILFN50

18 ga L-Cleats

HICL15018GA 1-1/2" 1m box



HP-4590T 18ga Stapler for Engineered Hardwood

High-Pro pneumatic stapler, 18 & 17 gauge narrow crown

- * 18017 gauge staples **18ga 1/4" Crown Staples**
- * 1" to 1-3/4" TRTXF1828CGR 7/8" 5,000 per box
- * Drive angle 45 degrees TRTXF1832CGR 1" 5,000 per box
- * Capacity 100 staples TRTXF1836CGR 1-1/8" 5,000 per box
- * Trigger action TRTXF1840CGR 1-1/4" 5,000 per box
- * comes with case TRTXF1848CGR 1-1/2" 5,000 per box
- # HIHP4590T



HARDWOOD FLOORING REPAIR



Knottec Professional Repair Kit:

- * Knottec Professional Glue Gun
- * Aluminum Cooling Blocks
- * Glue Stick Assortment
- * Mouseplane Planer
- * Silicone Drip Mat Silicone Glue Saver

#GUKTKIT Kit



GUKT7713AMB	AMBER
GUKT7713BEE	BEECH
GUKT7713BEI	BEIGE
GUKT7713BLA	BLACK
GUKT7713COL	COLA
GUKT7713CRE	CREAM
GUKT7713GRE	GRAY
GUKT7713IVO	IVORY
GUKT7713LAR	LARCH
GUKT7713MAH	MAHOGANY
GUKT7713OAK	OAK
GUKT7713PIN	PINE
GUKT7713WAL	WALNUT
GUKT7713WHI	WHITE
GUKT7713YEL	YELLOW

Wood Doctor

- * Hot knife to melt wax
- * 16 assorted wax sticks
- * Colored repair pens
- * Scraper & plane

#TAWD911 Kit

#TAWD9111002 16 wax set only

note: non-stock

Wood Doctor, provides quickland easy touch-up and repair a wide range of imperfections and impairments to wood, resilient flooring, countertops, plastic laminate, cabinets, trim and other surfaces. Mix colors together to match wood.



Rollers - Roller Covers - Roller Trays - Brushes

Roller Frame

9" ... #MC799



60" Wood Handle

with metal threads
#GU0162



Roller Tray

#MC744



Chip Brush

1" #MC891

2" #MC893

3" #MC895



Nubby Style Covers

9" ... 99C #GU99C



Mohair Nap #MC735

9" ... 3/8" nap plastic core



Plastic Laminate Installation Tools

10' all purpose file


#GU10AP



Laminate Slitter T78


from 1/2" to 4.25" for self edge
& backsplash

#GUAT109



Miter Box

#CR176



Score All

#GU344




Crain Metal Miter

cuts metal trim edge

handle #CR845

die set w/blade #CR850



J-Roller

#CR346



3-Wheel Roller

Extendable Handle


#CR333



Laminate

Shears

#GU11LS



Plastic Laminate Countertop Metal Trim

#91

convex cove 12'
91S silver



FUTM91MFA

#92

narrow cove 12'
92S silver



FUTM92MFA

#90

wide cove 12'
90S silver



FUTM90MFA

#80

cap w/flange 12'
80S silver



FUTM80MFA

#81

flatback cap 12'
81S silver



FUTM81MFA

#94

divider 12'
94S silver



FUTM94MFA

#93

out corner 12'
93S silver



FUTM93MFA

CONTACT ADHESIVES - SOLVENTS - CLEANERS

WF Taylor Touchdown #1-N Natural Color brush grade multi-purpose solvent based contact

quart flammable WF1NQ7

gallon flammable WF1N1

4 gallon flammable WF1N4

3M Fastbond 30

water based contact Green color

3MFB30QTGRE ... quart

3MFB301GRE gallon



3M Fastbond 10

solvent based contact

highly flammable - very strong

great for vinyl-rubber trim

3MFB101 gallon



CS-22 Solvent Cleaner

- non-flam
- fast dry
- grease-oil
- dissapates
- adhesive

TACS22QT quart



Spray Contact PH525

17 oz with
adjustable tip



Oil-Flo #141 Solvent Cleaner

- urethane
- adhesive
- grease
- gum

TAOILFLOPT pint



WALL BASE INSTALLATION

Snozzles

CR236 (Black 3-hole)

CR235 (Blue 6")

GU186 (Yellow 11-hole)

RO10981 (Red)



CR 532

Cove
base
gouge



Wall Base Gauge Tool

Preciselygouges

back of base

DCCB060



CA40 S-5

Super Glue
for rubber & vinyl

CAS51OZ

1 oz

thick Viscosity

CA25001

1 oz



VINYL COVE STICK & CAP

Cove Cap

1/8" ... 8' ... Silver FUCM901MF8

1/8" 12' ... Silver FUCM901MF12

3/32" .. 12' ... Silver FUTM83MFA




Cove Stick

FU402158 ... aluminum ... 1-1/4" radius ... 5'


JOCFS00A .. vinyl 1-1/4" radius ... 5'

TRTTM0100 ... wood 1-1/2" radius ... 5'



Bevel Cap

1/8" ... 12' Silver FULVT406EA



Roppe Vinyl (West)

RO304100 ... 1/8" x 12" x 4'

RO302100 ... 1/4" x 12" x 4'

RO301100 ... 3/8" x 12" x 4'

RO303100 ... 1/2" x 18" x 4'

Johnsonite Vinyl (East)

JOLS40F ... 1/8" x 12" x 4'

JOLS40 ... 1/4" x 12" x 4'

JOLS40D ... 3/8" x 12" x 4'

JOLS40E ... 1/2" x 12" x 4'

Particle Board Shims

BNP20832 ... 1/4" x 8" x 32"

BNP30832 ... 3/8" x 8" x 32"

BNP50832 ... 1/2" x 8" x 32"

SUBFLOOR LEVELER & SHIMS

METAL FLOOR TRIM (12' length unless otherwise labeled)

Pinless Clampdown

Premium

FUCM201HMF Silver
 FUCM201HB Gold
 FUCM201HN Nickel
 FUCM201HBRZ Bronze
 FUCM201

Stairnose

STANDARD

FUCM611HMF Silver
 FUCM611HB Gold
 FUCM611HN Nickel
 FUCM611HBRZ Bronze

PREMIUM

FUCM601HMF Silver
 FUCM601HB Gold

Longface Premium

FUCM605HMF ... Silver
 FUCM605HN Nickel

2.6" Commercial Premium

FUCM603BA Silver

Pinned Clampdown

Premium

FUCM102HMF Silver
 FUCM102HB Gold
 FUCM102HN Nickel

Standard

FUCM104HMF Silver
 FUCM104HB Gold
 FUCM104HBRZ Bronze
 FUCM104HN Nickel

Economy

FUCM122114HMF Silver
 FUCM122117HB Gold

Tackstrip Clamp

FUCM121HMF Silver

Binder Bar 3/4"

FUCM702HMF ... Silver

1/4" Carpet Cap

FUCM401HMF Hammered Silver
 FUCM401MFA Satin Silver

Hatch-Tee 12'

FU7395BA 1" Silver
 FU7365BA 3/4" ... Silver

Flat Bar

2" HD Premium

FUCM304HMF Silver
 FUCM304HB Gold
 FUCM304HN Nickel

1.5" HD Premium

FUCM302HMF Silver
 FUCM302HB Gold
 FUCM302HN Nickel

1.5" Standard

FUCM312HMF Silver
 FUCM312HBRZ Bronze
 FUCM312HN Nickel

1" HD Premium

FUCM303HMF Silver
 FUCM303HB Gold
 FUCM303HN Nickel

1" Standard

FUCM313HMF Silver
 FUCM313HN Nickel
 FUCM313HBRZ Bronze

Z-Bar 4' length

(25cs per carton)
 FUCM501MF4

Tredsafe®



FU402140 AA-121

Carpet Safety Nosing
 Insert: 1 x 43mm
 width 2-9/16" drop 1-1/2"

FU402141 AA-125

Bare Floor Safety Nosing
 Insert: 1 x 53mm
 width 2-3/4" drop 1"

FU402128 AA-346

Carpet Safety Nosing
 Insert: 3 x 13mm
 width 3" drop 1-3/8"

FU402143 AA-345

Carpet Safety Nosing
 Insert: 3 x 13mm
 width 3" drop 1-3/8"

12' Silver Brushed Aluminum

(6 /tube) countersunk pre-drilled

Interior - Exterior Heavy Duty

Inserts rolls sold separately

12' rolls (exception: Black 13mm is 36')

Insert Colors:

Black
 Safety Yellow
 Signal Yellow
 Mid Gray
 Rich Brown

Insert Widths:

13 mm
 43 mm
 53 mm

FU402142 AA-142


Carpet Safety Nosing
 Insert: 1 x 53mm
 width 2-1/2" drop 2"

UNDERLAYMENT & BACKERBOARD



PowerHold-Plus Birch Plywood

PREMIUM BIRCH PLYWOOD
printed nailing pattern
dense birch construction,
exterior adhesive
commercial rating
equal 5-ply 1/4" thick
4' X 5'... 1/4" THICK PHU21206P



MAXXIMUS Birch Plywood

PREMIUM BIRCH PLYWOOD - COMMERCIAL RATING

5 ply Birch plywood 1/4"	1/4" thick ... 4' x 4' ...TRMXU21166P
7 ply Birch plywood 3/8"	1/4" thick ... 4' x 5' ...See Powerhold
printed nailing pattern	1/4" thick ... 4' x 8' ...TRMXU21326P
dense birch construction,	3/8" thick 4' x 4' ...TRMXU21169P
exterior adhesive	3/8" thick ... 4' x 5' ...TRMXU21209P
equal ply construction	3/8" thick ... 4' x 8' ...TRMXU21329P
nailing pattern	
no void - sanded face	

Power-Plex

Power-Plex (Hardwood Blend Plywood)

Power-Plex is a standard grade HARDWOOD BLEND plywood underlayment. The top and bottom layers are veneer thickness. The bottom veneer layer has a resin impregnated film for added stability and moisture resistance, Power-Plex is rated for residential use.

4' x 4' (80pal) TRPPU2516


4' x 8' (80pal) TRPPU2532

5.5 MM THICKNESS



Ultralayment U-Lay OFB (Oriented Fiber Board)

Manufactured with hardwood fibers. Bonded together with moisture resistant binders. The core is void free and a true 1/4" thick. Moisture resistant bottom and side edges. 1/4" thick ... 4x4 #TRULU2716 4x8 #TRULU2732



HydroBan Lightweight Board

A lightweight easy to handle and ready to tile wall board. It is made with a high-density, waterproof extruded polystyrene core and a reinforced, waterproof membrane on both sides to give triple protection from water and vapor intrusion.

1/4" 3x5 LAHBB14

1/2" 3x5 LAHBB12




Lightweight ceramic tile backerboard designed to provide a waterproof barrier for walls and floors. It is also suitable for countertops but should not be subject to extremely hot items.
WEUS5000009 Tab Washers (100pk)
WEUS5000012 1-5/8" non-rust screws (1000pk)
WEUS5000070 1-5/8" fastener kit screws & Washers (100pk)

1/4" 4'X8' WEUS8000013

1/2" 3'X5' WEUS8000017

1/2" 4'x5 WEUS8000014



GoBoard



- **Strong Bond Surface**
- **1/2" & 1/4" 3'x5'**
- **Lightweight**
- **Waterproof**
- **Standard Fasteners**

GoBoard is an alternative ultra-lightweight yet durable waterproof alternative to cement and other heavy tile backer boards. GoBoard helps you complete the job faster.

GoBoard 1/2" 3' x 5' ... JMGB12 ... walls (60/pal)

1/4" 3' x 5' ... JMGB14 ... floors-counters (75/pal)

GoBoard-Pro ... 1/2" 3' x 5' ... JMGBP12 (60/pal)

sealant JMGBPROSEALANT 10oz cartridge

JMGBPROSEALANT20 20oz sausage tube

Screws JMGBWOODSTUDS wood stud screw kit (100pk)

Screws JMGBSCREWSW 1-1/4" wood screw 5lb (705pk avg)



USG DuRock CementBoard

DUROCK® cement board Next Gen is a water-durable, mold-resistant panel for use under tile and in a variety of interior and exterior applications. Weighs 25%

floors 1/4" thick 3' x 5' MSDRCNG143X5

walls 1/2" thick 3' x 5' MSDRC123X5

* ceramic tile



USG Fiberock Fiber Board

FIBEROCK AQUA-TOUGH Tile Backerboard is a unique fiber-reinforced gypsum product that represents a new era in substrate performance for wet or dry areas. Water-resistant core.

floors 1/4" thick 3' x 5' MSFROCK3X5

walls 1/2" thick 3' x 5' MSFRO123X5

- * ceramic
- * tile
- * carpet



Backerboard Screws 1-1/4"

US170189 200 pc jar

BA70811 1000 pc box



Mesh Joint Tape

2" x 250' MSDROCKTAPE


2" x 50' CU163F50



Ringshank Nails

1-1/4" 5 lb TRTXN11705

1-1/2" 5 lb TRTXN11745



Wood Underlayment Staples

TRTXF1832CGR 1" 5m box

TRTXF1836CGR 1-1/8" 5m box

TRTXF1840CGR 1-1/4" 5m box

TRTXF1848CGR 1-1/2" 5m box



Anchorage, Bellevue, Bend, Boise, Eugene, Everett,
Kent, Medford, Portland, Tacoma, Yakima

Branch Stock

CODE no dashes / no spaces
RO (ROPPE) Height (4=4", 2.5=2.5", 4.5=4.5", 6=6")
Color (last 2 digits of color#) Style (CB=Cove NT=NoToe)
Length (10=length 11=roll)

6" cove

EDI Style 9410000001 length
EDI Style 9410000002 roll

100 Black
193 Black Brown *
110 Brown
150 Dark Gray
140 Fawn
198 Ivory
178 Pewter

2.5" cove

EDI Style 9409500001 length
EDI Style 9409500002 roll

184 Almond *
100 Black
110 Brown
191 Camel
140 Fawn *
178 Pewter
170 White *

4.5" cove

EDI Style 9409900001 length
EDI Style 9409900002 roll

100 Black
193 Black Brown *
110 Brown
123 Charcoal
150 Dark Gray
140 Fawn
178 Pewter

4" cove

EDI Style 9409700001 length
EDI Style 9409700002 roll

184 Almond * 632 Flax
100 Black * 198 Ivory *
193 Black Brown * 195 Light Gray *
187 Blue 147 Light Brown
110 Brown 114 Lunar Dust *
130 Buckskin 122 Natural *
194 Burnt Umber 178 Pewter *
191 Camel * 171 Sandstone *
624 Chameleon 175 Slate *
123 Charcoal * 174 Smoke*
150 Dark Gray * 161 Snow
139 Deep Navy 177 Steel Blue
129 Dolphin 148 Steel Gray
140 Fawn * 182 Toffee
123 Fig * 170 White *

4" no-toe

EDI Style 9409800001 length
EDI Style 9409800002 roll

100 Black
193 Black Brown *
110 Brown
150 Dark Gray

(RO) (style ex:154) (color ex:100) no dashes or spaces

- 100 Black
- 110 Brown
- 140 Fawn
- 150 Dark Gray
- 178 Pewter

- 191 Camel
- 193 Black-Brown
- 194 Burnt Umber
- 195 Light gray
- 198 Ivory

#154



carpet to tile insert 12'
EDI Style 9520900000

#169



1/4" reducer 12'
EDI Style 9522300000

#177



HD carpet to tile 12'
EDI Style 9522800000

- 100 Black
- 110 Brown
- 140 Fawn
- 150 Dark Gray
- 178 Pewter
- 193 Black Brown

#152



divider insert 12'
EDI Style 9520800000

#175




carpet to tile insert 12'
EDI Style 9522600000

#159



carpet to tile insert 12'
EDI Style 9521300000

#168



underslung reducer 35'
EDI Style 9522100000

#172



VCT Reducer 3'
EDI Style 9522400000

- 100 Black
- 150 Dark Gray
- 193 Black-Brown

#203



overlap nosing 12'
EDI Style 9524000000

#206



double undercut nosing 12'
EDI Style 9524200000

#204



undercut nosing 12'
EDI Style 9524100000

- 100 Black

#179



high profile insert 12'
EDI Style 9523000000

#160



3/16" reducer 12'
EDI Style 9521400000

#176



1/2" reducer 12'
EDI Style 9522700000

#174



1/4" HD reducer 12'
EDI Style 9522500000

#156



HD 5/16"reducer 12'
EDI Style 9521100000

#158



1/4" carpet cap 12'
EDI Style 9521200000

#196



high profile insert 12'
EDI Style 9523800000



Johnsonite

Branches

Billings Richland
Missoula Spokane
Great Falls Kalispell

● Branch Colors

2.5" toe

JODC - xx - 2.5x4 lengths
JODC - xx - 2.5X120 roll

- 40 Black
- 63 Burnt Umber
- 20 Charcoal
- 80 Fawn
- 8 Icicle

Item numbers are all one number with no spaces or dashes
JODC - xx - 4x4 = JODC404X4 (Color 40 Black)
product color category

4" toe (Colormatch)

JODC - xx - 4x4 length JODC - xx - 4X120 roll

- | | |
|------------------|------------------|
| TA6 Bedrock | 8 Icicle |
| ● 49 Beige | ● 28 Medium Gray |
| ● 40 Black | ● 29 Moon Rock |
| ● 47 Brown | 18 Navy Blue |
| ● 63 Burnt Umber | 22 Pearl |
| 11 Canvas | ● 32 Pebble |
| ● 20 Charcoal | ● TB8 Peppercorn |
| 76 Cinnamon | 38 Pewter |
| 9 Clay | 21 Platinum |
| ● 44 Dark Brown | 45 Sandlewood |
| ● 80 Fawn | 55 Silver Gray |
| 167 Fudge | ● 1 Snow White |
| TA4 Gateway | 71 Storm Cloud |
| ● 48 Gray | ● 283 Toast |
| 24 Gray Haze | TA8 Welsh Castle |
| 86 Hunter Green | 31 Zephyr |

6" toe

JODC - xx - 6x4 lengths
JODC - xx - 6X100 roll

- 40 Black
- 47 Brown
- 63 Burnt Umber
- 20 Charcoal
- 80 Fawn
- 8 Icicle

4" no-toe

Rolls Only

JODCT - xx - 4X120 roll

- 20 Charcoal
- 40 Black
- 63 Burnt Umber




4.5" toe

JODC - xx - 4.5x4 lengths






JODC - xx - 4.5X120 roll

- 40 Black
- 63 Burnt Umber
- 20 Charcoal
- 80 Fawn










- 49 Beige
- 40 Black
- 47 Brown
- 63 Burnt Umber
- 20 Charcoal
- 48 Gray



- 40 Black
- 47 Brown
- 48 Gray
- 49 Beige



- 40 Black
- 47 Brown



SPECIAL ORDER



Shot Blaster

Hornet

Compat shot blaster.
#BACTBHORNET

SPE-9ES

Self Propelled
#BACTBHORNET

Terminator Ride On Scraper



Infinity

Battery Powered
All Day Performance
Fast & effective floor
removal.
#BA980030

**Planetary Grinder
Grinding & Polishing**



Predator

P650Y 3 Head
#BA980044

Predator

P2400 4 Head
#BA980006

POWER MIXERS

WOLFF Mixing sStation

3 Bag Mixing
Removable Barrel
HD Large Wheels
Excellent Balance
Vacuum Hose
Bracket



WO65480
Station Only

WO10019
Drill Adapter

MAKINEX Mixing Station

4 Bag Mixing, 1 Person Operation
Excellent Mobility & Dust Protection
Aircraft Aluminum Frame HD Large Wheels
Adapts to many mixers



MAMS100
Mixing
Station Only

MAMSMUS
Mixer Only
2 speed, 18amp



NXT PRO-MIX Mixing Station

Mix Up To 3 Bags, 1 Person Operation
Excellent Mobility & Dust Protection
HD Frame HD Large Wheels
Comes With 2 Speed Mixer
Quick Release Mixer
Easy Pour Design
Comes With 2 Paddles
Removable Dust Cover
Built In Dust Port
Lightweight 65 Lbs
LANXTPROMIX



VACUUMS



**LARGE HEPA VACUUM
Dual Filter HEPA Vacuum
206 CFM Dual Motor**

- dust collection basket
- zip tie storage bags
- reverse pulse
- includes wand, hose & brush
- #WO81706



WO84681 Cone Filter
WO81629 Longopac Bage (30)

HD PreSeparator


Cyclonic Action captures
99% of dust before it reaches the
vacuum filters.
* Reduces Filter Changes
* Lowere Filter Cost
#WO82215



SANDPAPER


Resin Construction- Longer Lasting
"E" Weight Longer Life Reinforced Backing

16" 12 GRIT ME426012
16" 16 GRIT ME426016
16" 20 GRIT ME426020
16" 36 GRIT ME426036
16" 60 GRIT ME426060
16" 80 GRIT ME426080



CARBIDE DISK

- scarifies concrete
- removes adhesive
- lasts 15X longer
- double-sided
- change disks less often
- effective - better results
- fits 15" and 16" buffers



15" 14 Grit #WO50849
15" 16 Grit #WO13510
15" 24 Grit #WO13517





WOLFF Power Strippers & Grinders

Cordless Junior #010334

Great For Small Areas

Powerful yet compact and lightweight. Perfect for hard to reach areas. Uses a 5" and 8" scraper blade.

Comes with:

- 2 18V Batteries
- Battery Charger
- Case & Tool Kit
- CARPET - VINYL**
- *18V, 7 lbs
- * Includes Case Case
- * 11,500 RPM



VARIO Stripper #50202

110V Silent **SPECIAL ORDER**



The VARIO is powerful and quiet. Perfect for occupied spaces or where noise is an issue. Perfect for Health Care.

- * Quiet 70 Decibels
- * 115V, 2.25 HP
- * Self Propelled
- * Variable Speed Control
- * 10" Blades
- * Soft Start Switch

DURO Stripper #39086

For Small To Medium Sized Projects

The Duro is one of the most versatile stripper machines. It breaks down and fits into a case. Smooth oscillating action is perfect for adhesive removal. The handle can be detached to be used as a hand held.

RESILIENT- CARPET-VC™

- * 2.75hp 115V, 8500 SPM
- * Removable Handle Han
- * Oscillating High Speed /
- * Reduced Vibration
- * 320-540 sf/hour

Blades:

- WO73926 8" U-Shaped
- WO13345 8" 1.0mm HD
- WO13346 8" .07mm Blade
- WO73927 8" VCT Blade

Razor Blade Attachment WO15536



Turbo Stripper #39086

self propelled - heavy duty

Heavy duty stripper for removal of all bonded flooring. 5000 strokes per minute with heavy duty impact and propulsion. Three weight positions for adjusting aggressiveness. Hand operated clutch. Detachable weight and handle for ease of transport.

RESILIENT- CARPET-VCT

- * 3hp 115V, 5000 SPM, 300lbs
- * Adjustable Tilting Handle
- * Hand Operated Clutch
- * 3 Weight Positions
- * 645-1075 sf/hour

Blades:

- WO13983 U-Shaped 14"
- WO13979 14" Rigid 1mm
- WO13981 6" HD 1.5mm
- WO13980 8" HD 1.5mm
- WO73928 VCT Deflection Blade

Hardwood Kit

WO63754 Special Deflector Blade



BI-TURBO Stripper #89253

220V Heavy Duty **SPECIAL ORDER**



The BI-TURBO is an upgrade to the TURBO-II. It incorporates dual motor operation. One motor for the drive system and one motor for the scraping system. The BI-TURBO breaks down quickly for easy transport.

- * Powerful
- * Variable Speed Drive
- Carpet-Resilient-Hardwood-Ceramic

ROBO Stripper #163443

220V Heavy Duty **SPECIAL ORDER**



The ROBO is the ultimate of walk behinds. The operator controls the unit from a remote hand help panel. Joysticks control all functions of the scraper. For heavy duty scraping.


- * Powerful & Versatile
- * Variable Speed Drive
- Carpet-Resilient-Hardwood-Ceramic

Neo-230 #75382

The Neo is new and unique to surface preparation. The compact 9" head delivers concentrated grinding power that rivals machines 3X its size. #WO75382

- **POWERFUL**
- **110 PLUG IN**
- **COMPACT**
- **GRINDS CLOSE TO EDGE**
- **REQUIRES 4 SEGMENTS**

Adjustable guard, Zero clearance, 3 position head, Variable handle, 9" grinding area
115V, 2.75hp, 1500 rpm 100 lbs



Samba #63047WS

Perfect for grinding substrates or leveling compounds, traditional buffing.

Powerful 2.25 HP motor, heavy duty reinforced hand, durable steel drive gears, full range of grinding discs & plates available

115 V, 2.25 HP motor,
160 RPM, 97 lbs, 15-16"

Includes:

- WO14038 hose kit with T-adapter
- WO14039 shroud suction ring with sealing shell

Sold Separately:

WO84750 sandpaper driver 15" drive plate for sandpaper & grinding disk (works for 16" sandpaper disk also)



Mambo #68952

The MAMBO is a dual purpose machine, used for grinding, milling and sanding.

- * Variable Speed Control
- * Variable Handle Angle
- * Dust Containment Port
- * Uses Ninja Segment Plate
- * Soft Start Switch
- * 115V, 2.68 HB
- * 150-450 RPM
- * 15" to 16" Width
- * 154 lbs

Includes:

Inner Safety Ring
Additional Weight
Power Cord



Ninja Plate

- fits Mambo & Samba
- easy to change
- extremely effective
- for concrete substrates
- requires 5 segments
- #WO73757



Segments:

Segments fit Ninja Plate, Samba, and Neo
#WO68388 PCD thick adhesive & mortar removal
#WO68390 BT-K20 Gold for hard concrete profiling
#WO162593 ... SM-2 Rapid hard troweled concrete
#WO75365 PCD-XT for thick adhesive & epoxy
#WO162589 ... PCD Wolff Trap thinset mortar



PCD



BT-K20



PCD-XT



SM-2



PCD WOLFF



UZIN SELF LEVELING

#157 Cement

- 1/8" to 2", 5000 PSI
- extremely smooth
- reduced floor prep
- resilient flooring 24 hours
- working time 20-40 minutes
- high-yield 58 sf @ 1/8"
- item# UZ77347 50lb bag



#150 Cement

- 1/16" to 1", 4500 PSI
- extremely smooth
- use as skim coat
- resilient flooring 24 hours
- working time 20-40 minutes
- high-yield 58 sf @ 1/8"
- item# UZ77346 50lb bag



#170 Cement

- 1/16" to Unlimited Depth 6000 PSI
- extremely smooth
- resilient floors 16 hours
- working time 20-40 minutes
- walk able wear surface
- high-yield 60 sf @ 1/8"
- item# UZ77348 50lb bag



#172 Turbo Cement #UZ77349 50lb

- Use as Skim Coat To UNLIMITED DEPTH
- extremely smooth, 8,000 PSI
- Topping @ 1/4" Min
- TURBO-FAST, Install F/C in 2-3 Hours
- High-Yield 60 sf@1/8"



#110 Gypsum #UZ83246 50lb

- 1/8" to 2", Walk On 2 Hours
- For Difficult Surfaces
- extremely smooth, 5200 PSI
- install flooring 16-24 hours
- coverage 60 sf@1/8"



UZIN Self Leveling Primer & Accessories

PE-260: versatile, 2-3 hour dry time, dilute for multiple applications , for porous and non-porous substrates
2.6 gal unit UZ79280 1200 sq/feet
1 gallon unit UZPE2601 450 sq/feet

PE-360: 100% RH 14 PH fast drying ready to use primer over cement & gypsum substrates.
2.6 gal unit UZPE3602.6 1600 sq/feet
1 gallon unit UZPE3601 600 sq/feet

PE280: carbon fiber, 1 hour dry time, grit surface for max adhesion for non-porous substrates
2.6 gal unit UZ79279 1200 sq/feet
1 gallon unit UZ82674 450 sq/feet

Reinforcing Fiber:

add to leveler to reduce cracking.
One bag per 50lb Bag of leveler.
UZ11725



Reinforcing Fiber Mat

A fiberglass reinforcing mesh. For reinforcing all types of substrates which are weak, cracked, or wood substrates which are prone to vibration. 3X increase in flexural strength.
UZRR201280 280 sq/feet



Leveling Pins:

20 per package
UZPIN20



LATICRETE NXT SELF LEVELING

NXT LEVEL-SP Topping Salt & Pepper

A pourable, high performing self leveling concrete overlay, primarily used to finish interior concrete slabs. A high-strength wear surface when polished NXT Level SP provides a low maintenance, durable solution with an attractive, coarse salt and pepper look.
* Salt & Pepper Aggregate Design
#LANXTLEVELSP Gray 50lb bag
#LANXTLEVELSOW White 50lb bag



NXT LEVEL-DL Topping

Solid color topping, polishable, colorant available
#LANXTLEVELDL
#LANXTLEVELDLW

Primer: NXT Epoxy Primer # LA090903022 2 gallon (180-266sf)

NXT LEVEL (cement based), 5000 PSI)

NXT Level produces a flat, smooth and hard surface for the installation of finished flooring. NXT Level can be placed from 1/8 to 3" in a single lift. Suitable Over Concrete Up To 99% LANXLEVEL50 50lb

NXT LEVEL PLUS (cement based, 5300 PSI)

NXT Level produces a flat, smooth and hard surface for the installation of finished flooring. NXT Level can be placed from 1/8 to 1.25" in a single lift. Suitable Over Concrete Up To 99% LANXLEVEL50

NXT LEVEL FLOW (cement based, 4000 PSI, high flow)

NXT Level Flow produces a flat, smooth and hard surface for the installation of finished flooring. NXT Level can be placed from 1/8 to 2" in a single lift. Suitable Over Concrete Up To 99% LANXLEVEL50

NXT PRIMER

NXT Primer for porous & non-porous substrates, approximately 100 sf/gallon (porous)
gallon #NXTPRIMER1 5 gallon NXTPRIMER 5

SELF LEVELING TOOLS

29



UZ59973 ... mixing drum kit
UZ59267 ... 16 gallon drum only
UZ9191 8 gal mixing bucket
UZ10412 ... 2.4 gal water bucket
UZ13606 ... flat cage paddle
UZ59597 ... oval mix paddle

UZ52298 ... leveling rake
UZ59771 ... 24" gauge rake
UZ59361 ... smoother
UZ12503 ... spike roller handle
UZ13637 ... 10" spike roller
UZ13638 ... 29" spike roller

Slip On Spike Shoes

Medium ... SHMEDIUM size 9 & under
Large SHLARGE size 10 to 11
X-Large ... SHXLARGE size 12 & up



SKIM COAT PATCH

Uzin 888 "Extreme"

"sticks to glass!"



- feather to 1" thick
- emboss with no additive
- adheres to non-porous substrates
- fast drying - cover 15-20 min
- premium performance
- encapsulate Cutback adhesive
- creamy & extremely smooth
- for wood & concrete substrates
- interior applications

Uzin 886 skim & repair



- feather to 1/2" thick
- fast drying - self hydrating
- premium performance
- creamy & extremely smooth
- for wood & concrete substrates
- interior applications
- UZ77352 10lb bag (34sf@1/8")

Uzin 890 Hydropatch moisture resistant



- feather to 1/2" thick
- 100% RH 14 PH
- fast drying - self hydrating
- premium performance
- creamy & extremely smooth
- for wood & concrete substrates
- interior applications
- UZ159352 10lb bag (28sf@1/8")

GENERAL PURPOSE PATCH

PowerHold 650



Powerhold 650 is a fast-setting, latex-fortified Portland cement patch for interior use. PH-650 may be used to skim coat or feather edge finish up to 1/2" deep in one application. Floor covering can be installed in as little as an hour. PH-650 is extremely flexible and resilient for use to patch and smooth floors. Item# PH65025 25lb bag (30sf @ 1/8" thick)

DEEP FILL & RAMP

UZIN 182



- UNLIMITED THICKNESS
- FEATHER EDGE
- walk on in 20 minutes
- cover in 60 minutes (3/8")
- High PSI creamy & smooth

A universal, trowelable, fast setting, low slump patching and repair compound for any depth. This fine, cement-based material is suitable for filling holes, cracks and making general surface repairs to concrete substrates. It is also recommended for smoothing and repair work on concrete stairs and for ramping transition areas. It is a fast drying, high strength, easy to sand. UZ77350 ... 20lb bag 22.5 sf @ 1/8"

Prime porous substrates prior to application - Unlimited Thickness

CRACK REINFORCEMENT

UZIN RR-203 Fiberglass Mat

Fiberglass crack reinforcement strands used for bridging substrate cracks and joints up to 1/4" wide and with 3/16" maximum movement. Suitable for/on: Control joints and trenches in concrete / Joints in plywood and between different substrate types / Wood plank substrates and OSB / Existing substrates subject to slight vibration ITEM# UZ79682 2' wide x 2.6' long



ENCAPSULATOR & PRIME

WF Taylor Zephyr

Primes floors & encapsulates adhesive residue. Zephyr is a simple way to protect what's on top. Engineered to fight moisture, Zephyr can also be used as an encapsulator, eliminating the need to remove existing or cutback adhesive residue. Reduces PH. 3/8" roller 350 sf/gal per coat 95% RH 5-14 PH
Item# WfZEPHYR4 4 gallon



FLOOR PRIMER PH REDUCER

WF Taylor #2025 Primer

An acrylic latex solution made for use as a primer coat on floor patch, acoustical concrete and other porous surfaces to prevent over absorption of adhesive and to ensure a better bond. Also use to neutralize excess alkali.
WF20254....4gallon WF20251 1gallon
approximate coverage: 500 s/f per gallon



ENCAPSULATOR & BOND ENHANCE

WF Taylor Enhance

ENHANCE has multi-functioning capabilities. Enhance tackles many tough challenges such as encapsulating existing adhesive residue including cutback. Even difficult-to-bond-to substrates are no match for the textured surface profile. 90% RH, 14 PH

* also "detactitifies" adhesive residue

Item# WfENHANCE 2 gallon (approximate coverage 500 sf)



BOND ENHANCER

Laticrete Prime-N-Bond

PRIME-N-BOND is a versatile, ready-to-use, single coat, low VOC primer designed to enhance the adhesion of mortars to many smooth and non-absorptive substrates that can be difficult to bond to. For interior use only.

* high adhesion grit surface

LAPRIMENBOND1 1gallon



MOISTURE MITIGATION

LiquiShield 100 ROLL-ON MOISTURE BARRIER

LiquiShield 100 TM is a revolutionary water-based, co-polymer formulated to protect against elevated MVER and high alkalinity with priming features for direct adhesion. **note: substrate must be porous**

TRLSU010001 .. 1 gallon TRLSU010005 ... 5 gallon
average coverage: 200-250 sq/feet per gallon

- * 100% RH 14 PH
- * Roll On (2-coat)
- * Fast Dry Formula (30 min/coat)
- * Deep Penetration - Dries Clear
- * Water Based No VOC
- * Permanent Moisture Control



Traxx Vaporshield Moisture Membrane

Traxx Vaporshield is a loose lay membrane that mitigates moisture up to 100% RH and alkalinity up to 14 pH. Simply unroll Vaporshield over a properly prepared substrate (flat & clean), Tape the seams and start the installation. Vaporshield reduces floor prep and reduces removal cost at time of replacement.

* note: not for rolling load traffic


VaporShield-100 # TRVSU30100 720 sq/ft roll 5'x144'

double sided tape .. TRTSU40200DST 4" x 100' roll

top tape TRTSU40200T3 2.5" 165' roll

Approved For:

- * LVP - LVT
- * VCT
- * Carpet Tile
- * Ceramic Tile



UZIN PE-460 2-component Epoxy Moisture Mitigation - fast dry - NO LIMIT

- NoLimit On Moisture
- Cover Ready In 24 Hours
- Water & Solvent Free
- Unaffected By High PH
- Solidifies Surface
- Chemical Resistant

UZPE4602.5 2.5 gallon (270 sf) UZ73031 1 gallon (108 sf)
Accelerator: UZACC7 7oz accelerator, 4 hour (2 per unit)



- Single Coat
- 2.5 Gallon Unit
- 108 S/F Per Gallon



Laticrete VaporBan-ER 100% RH Primer

LATICRETE VAPOR BAN™ Primer ER is a single-coat, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs.

LAVAPORBAN2.4 2.4 gallon kit



- Single Coat
- 2.4 Gallon Kit
- 100 S/F Per Gallon



TAYLOR Zephyr - liquid roll on 2-coat reduces RH up to 95% RH

Moisture mitigation doesn't always have to come at a price. Zephyr gives protection up to 95% (RH) at a price point that is much more attractive than competing systems. With quick and easy application, Zephyr is sure to be a favorite for customers with common moisture issues.

WFZEPHYR4 4 gallon bucket approximate coverage: 500 sq/ft per 4 gallon unit

- * Reduces Porosity
- * Reduces Moisture
- * Reduces PH
- * Covers Adhesive Residue



UZIN #414 Surface Strengthening Primer - solidifies Gypcrete - 1 component fast dry

Uzin PE-414 is a one component polyurethane (PU) fast drying primer. PE-414 acts as a strengthener and barrier coat on absorbent and non-absorbent surfaces. Used as a moisture vapor retarder on concrete substrates with residual moisture up to 7 lbs. MVER or 90% RH. A two coat application is required when used for mitigating moisture SUBSTRATE MUST BE POROUS FOR MOISTURE PROTECTION
dry time: 45min to 1.5 hours UZ79281 2.6 gallon (1200 sf) UZ63940 1 gallon (460 sf)

- * Solidifies Concrete
- * Reduces Moisture
- * Reduces PH
- * Covers Adhesive Residue



UZIN KR-518 Joint Filler

UZIN KR 518 is an ultra-low-viscosity, fast-setting resin to fill joints in cracked, spalled concrete and saw cuts prior to the installation of UZIN moisture vapor retarder products, self-leveling compounds, or patches. It offers deep penetration & high compressive strength. A wide service temperature allows for use in difficult climatic situations. For interior and exterior use.

UZKR518 20.2 oz dual cartridge includes tip approximately 24 linear feet @ 1/8" wide and 1" deep

Brooms & Sweeping

24" Soft Bristle Broom

with handle #TA314



Broom Handle 60"

metal threaded tip
fits economy broom
GU0162



Metal Dust Pan

CR666



Brace

GU0002



Duster Brushes 9" Brush

(14" overall length)

GU3609106 ... Horsehair (brown)

GU3609107 ... Horsehair/Pol blend

GU3609108 ... flagged soft poly (gray)



Angle Broom

15" - comfort grip

metal handle

ULH5877



Sweeping Compound

Wax Based 40 lb HASRWA40



Floor Protection

Floor Film

Clear, self-adhering protective film, uniquely formulated adhesive system lightly adheres to all surfaces. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application. Temporary use only.

Carpet	SSCS2450	24" x 50'
Carpet	SSCS24200	24" x 200'
Carpet	SSCS36500	36" x 500'
Hard Surface	SSFS24200	24" x 200'



Builder Board

- Heavy Duty - Reusable 45 mil
- 100% recyclable 33% post consumer
- Tough enough to be driven on
- Less expensive than masonite
- 1/3 the weight of 1/8" masonite
- Easy to install - lays fast and flat
- Can be seamed together for large areas
- Allows moisture, vapors etc. to escape
- Non-staining

SSBLD38100 ... 38" x 100'

Tape: SSBLD048 2" x 180'



Floorotex Multi Surface Protection

Innovative surface protection suitable for all types of flooring and countertops. Made of a strong polyester fiber that is waterproof and breathable. A light tack adhesive holds Floorotex in place. The polyester cushion helps protect from dropped objects and foot traffic.

- Floors & Counters
- Cabinets
- Waterproof
- Reusable
- Hard Surface
- Carpet
- Vinyl
- Ceramic
- # FOFLOOROTEX150
- 40" x 45' 150 SQ/feet



WATER-SHIELD

Reinforced Kraft Paper

Thicker than standard builder paper and moisture resistant. Made from 2 Kraft Papers bonded together. 2 mil Fiberglass Reinforced

SSWS36300


36" x 300'



Ceramic Tile Uncoupling & Crack Isolation

Genie-Mat crumb rubber

GenieMat RST is an acoustic underlayment for floors. It is made from 94% recycled rubber content and can be used directly under tile, vinyl plank/ tiles and wood flooring. In fact it can be used under any hard surface floor finish in concrete and wood frame construction. It is used when superior sound control is required in multi-family housing, high-rises, or commercial buildings and protects ceramic tile, porcelain, and stone from substrate cracks. GERST02 2mm 300 sf/roll GERST05 ... 5mm 120 sf/roll



VAPORSHIELD 100 Traxx Vaporshield Moisture Membrane

Traxx Vaporshield is a loose lay membrane that mitigates moisture up to 100% RH and alkalinity up to 14 pH. Simply unroll Vaporshield over a properly prepared substrate (flat & clean), Tape the seams and start the installation. Vaporshield reduces floor prep and reduces removal cost at time of replacement.

VaporShield-100 # TRVSU30100 720 sq/ft roll 5'x144'

* double sided tape .. TRTSU40200DST 4" x 100' roll

* top tape TRTSU40200T3 2.5' 165' roll

*** note: not for heavy rolling load**



Disruptor SBR Rubber Cork Cork Infused

Disruptor is a premium SBR Elasticized Rubber with Cork Granular infusion. Disruptor provides a high IIC (IIC Delta 21) sound rating. Disruptor is a very dense (25lb) low profile (1.5mm) construction that reduces vertical movement. Disruptor is for light commercial application providing 1/8" crack suppression. The Powerhold brand stands for high quality and high value.

Standard PHDISRUPTOR200 200 sf/roll



Standard



Strata-Mat uncoupling membrane

STRATA-MAT is a high performance uncoupling mat for use under ceramic tile and stone installations, for both residential and commercial applications. The unique design of STRATA-MAT provides for an enhanced mechanical bond of the adhesive mortar and provides for faster drying of the mortar, allowing for shorter time to grout. Use with both modified and unmodified mortars, STRATA-MAT allows for the proper adhesive mortar to be used with porcelain or large format tiles and stone.

- Mortar Hydration Vents - creates a mechanical bond
- Provides vapor management
- Eliminates transmission of in-plane substrate cracks of up to 1/8"
- Rated Extra Heavy per ASTM C627
- Lightweight, easy to carry and fast to install with standard tools



STRATAMAT:

LASTRATAMAT150 ... 150 sf

LASTRATAMAT323 ... 323 sf

STRATAMAT-XT:

uncoupling & vapor management

LASTRATAMATXT150 150 sf



FractureBan anti-fracture membrane

A high performance, pliable, light weight peel and stick membrane designed for use under thin-bed adhesives for ceramic tile, stone and other hard surface installations. This reinforced high strength membrane performs as an anti-fracture and an acoustical underlayment system. Peel and stick membrane allows for usage in both commercial and residential settings where a quick dependable turnaround is required.

Fracture-Ban 40 mil (1mm) LA017800402 225 sf

Fracture-Ban 90 mil 2.3mm) ... LA017800902 100 sf

Fracture-Ban Primer .. LA017804012 1 gallon

Fracture-Ban Primer .. LA017800052 5 gallon



*** prevents in plane cracks up to 3/8"**

*** quick turn around**

*** anti-fracture & sound reduction**

*** white non-woven surface**

*** water restrictive surface**

*** peel & stick application**



FractureBan-SC anti-fracture liquid

Thin, load bearing, self-curing, liquid applied rubber polymer that can be easily applied in a single coat to form a flexible seamless anti-fracture membrane. Applied in a single coat with a paint brush or roller,

This rapid drying anti-fracture membrane allows you to install tile or stone in just 1-2 hours.

*** prevents in plane cracks up to 1/8"**

*** easy roll on application**

*** 1-2 hour dry time**

*** changes color when dry**

interior - exterior

*** install directly onto surface**



Ceramic Liquid Waterproofing

LATICRETE

Hydro Ban “QUICK CURE”



HYDRO BAN Quick Cure is a rapid, thin, liquid applied ready-to-use waterproofing membrane that is ANSI A118.10 Compliant. Featuring wet-cure technology, this allows curing even in humid, cold and damp environments. Designed for both commercial and residential tile installations. Interior

LA926600012 1 Gallon approximate coverage 125 sf/gallon

Green Guard



- * Flood Test In 30 Minutes
- * Crack Isolation Up To 1/16"
- * Bonds Directly To Metal
- * TCNA Heavy Rating
- * Moisture Cured

LATICRETE

HydroBan-XP (Flood Test 2 Hours)



Hydro Ban is a liquid applied, thin waterproofing anti-fracture membrane that combines optimum performance and unmatched productivity. Hydro Ban is rapid drying allowing for a faster time to tile and flood testing, as well as faster flood testing in cold temperatures and over mortar beds. Hydro Ban does not require the use of fabric in the field, coves or corners and bonds directly to metal and plastic plumbing fixtures.

LAHYDROBANXP1 ... 1 gallon LAHYDROBANXP5 ... 5 gallons

- * Flexible Liquid Rubber
- * Mesh Not Required
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 2 Hours

LATICRETE

HydroBan



Hydro Ban is a liquid applied, thin waterproofing anti-fracture membrane that combines optimum performance and unmatched productivity. Hydro Ban is rapid drying allowing for a faster time to tile and flood testing, as well as faster flood testing in cold temperatures and over mortar beds. Hydro Ban does not require the use of fabric in the field, coves or corners and bonds directly to metal and plastic plumbing fixtures.

LAHYDROBAN1 ... 1 gallon LAHYDROBAN5 ... 5 gallons

- * Flexible Liquid Rubber
- * Mesh Not Required
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 24 Hours

LATICRETE

HydroBarrier Plus



HYDRO BARRIER is a thin, load bearing, self-curing liquid rubber polymer which can be easily applied to form a flexible seamless waterproof/anti-fracture membrane. HYDRO BARRIER can be used on interior and exterior, horizontal or vertical surfaces and is approved by IAPMO for use as shower pan liner.

LABARRIERPLUS3 ... 3.5 gallon

- * Flexible Liquid Rubber
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 24 Hours

UZIN

Uzin HS-100



UZIN HS 100 is a flexible, ready to use acrylic polymer based waterproofing membrane for tile and stone in interior, residential and light duty commercial applications. Used as crack-isolation membrane UZIN HS 100 also reduces crack transmission in tile and stone floors.

UZ82101 2.5 gallon plastic pail UZ83741 1 gallon

- * Flexible Membrane .8 Perm
- * No Mesh Required
- * Fast Dry (2 hour)

CUSTOM


Custom RedGard



A ready-to-use elastomeric waterproofing membrane for both commercial and residential tile and stone application. Suited for interior and exterior substrates, RedGard® creates a continuous waterproof membrane barrier with outstanding adhesion and reduces crack transmission in tile and stone floors

CULQWAF1 ... 1 gallon CULQWAF3 ... 3.5 gallon

- * Roll On Application
- * 55 sq/ft per gallon (W/P)
- * Fast Dry (1-1/2 Hour)
- * Mesh In Corners





LATICRETE SETTING MORTAR

ECONOMY THINSET

#252 Silver Gray & White

- Contract Grade - Interior
- Creamy
- Good Working Time



Interior
PSI 250-350
Vertical: Fair

252 Silver is an economical polymer modified, bagged, cementitious thin-set powder to be mixed only with water using the thin-set method of installation.

LA25250GRY ... 50lb ... Gray
LA25250WHT ... 50lb ... White

ANSI 118.4
coverage: 1/4 x 3/8 x 1/4 SQ 60-70 sf/bag

PREMIUM THINSET

#253 Gold Gray & White

- All Purpose Thinset Interior - Ex
- Professionals Choice
- Creamy - Excellent Working Time



Interior-Exterior
PSI 350-450
Vertical: Good

A superior polymer fortified bagged cementitious thin-set powder to be mixed with water to install ceramic tile and natural stone using the thin-set method of installation.

LA25350GRY ... 50lb ... Gray
LA25350WHT ... 50lb ... White

ANSI 118.4, A118-11 ISO: C2
coverage: 1/4 x 3/8 x 1/4 SQ 60-70 sf/bag

GLASS TILE MORTAR LITE

#253 Gold Gray & White

- Safe For Glass Tile
- Ultra White Formula
- Excellent Bond Strength
- Submersible



Interior-Exterior
PSI 370-430
Vertical: Excellent

Glass Tile Adhesive is a non-sag, polymer fortified adhesive mortar that is specifically formulated for use in glass tile applications. Glass Tile Adhesive has great workability and produces an ultra-white finish that enhances the look of glass mosaics, glass tile, and most

LA296012522 ... 12.5lb ... White
coverage: approximately 40 sf 12.5lb sf/bag

ECONOMY 3-N-1 LFT **LHT-Plus Gray & White**

- Good Shrinkage Resistance
- Multi-Use
- Creamy - Good Working Time



Interior-Exterior
PSI 300-400
Vertical: Good
Weight 50LB

A polymer modified large and heavy tile mortar specifically formulated to provide a one-step installation for large format ceramic tile, porcelain tile, marble and stone on floors and walls.

LALHTPLUS50GRY ... 50lb ... Gray
LALHTPLUS50WHT ... 50lb ... White

ANSI 118.4, A118-11
coverage: 1/4 x 3/8 x 1/4 SQ 60-70 sf/bag

PREMIUM 3-N-1 LFT **TriLite Gray & White**

- Lightweight Formula 30LB BAG
- 3/4" No Shrinkage
- Easy To Trowel Consistency



Interior-Exterior
PSI 400
Vertical: Excellent
Weight: 30lb

A lightweight, high performance tri-purpose mortar designed for large and heavy tile, thin-bed and wall installations. For floor and wall installation

LATRILITEG30 ... 30lb ... Gray
LATRILITEW30 ... 30lb ... White

ANSI 118.11, 118.4, 118.15 ISO C2TES1P1
coverage: 1/4 x 3/8 x 1/4 SQ 60-70 sf/bag

ULTIMATE 3-N-1 LFT **MultiMax Lite Gray & White**

- Lightweight Formula 25lb Bag
- Incredible Non-Sag Kevlar Reinforced
- Silica Sand Free



SUBMERSIBLE
PSI 500-600
Vertical: Maximum
Weight: 25lb

The ultimate, lightweight one-step, polymer fortified, Large and Heavy Tile mortar for interior and exterior installation of ceramic, porcelain & natural stone. Extreme non-sag performance.

LA28925GRY ... 25lb ... Gray
LA28925WHT ... 25lb ... White

ANSI 118.11, 118.4, 118.15 ISO C2TES1P1
coverage: 1/4 x 3/8 x 1/4 SQ 50-60 sf/bag

RAPID SETTING **253 Gold Rapid Gray**

- Grout In 4 Hours
- Floors and Walls
- Smooth And Creamy



Interior - Exterior
PSI 300-370
Vertical: Excellent

253R Gold Rapid is a fast setting, bagged cementitious powder to be mixed only with water to install ceramic tile, porcelain tile and stone using the thin-set method of installation. Tile up to 13"

LA253R50GRY ... 50lb ... Gray
LA253R50WHT ... 50lb ... White

coverage: 1/4 x 3/8 x 1/4 SQ 60-70 SF 50lb

CRACK-SOUND REDUCTION **#125 TRI-MAX Gray**

- Sound Reduction IIC-54
- Anti-Fracture Protection Kevlar Reinforced
- Highly Flexible 1/8" Crack Protection



Interior Only
PSI 100-135
Vertical: Excellent
Weight: 25lb

Provides incredible sound isolation protection while simultaneously protecting the tile or stone finish from any cracking by reducing the transmission of stresses in the substrate. Allows for faster more effective tile or stone installations

LA12525... 25lb ... Gray

ANSI 118.12 Crack Isolation
coverage: 1/4 x 3/8 x 1/4 SQ 49-54 sf/bag

FLOOR MUD **209 Floor Mud Gray**

- Premixed Mud Bed
- Economical
- Creamy



Interior Only
PSI 1070-1600
Floor Only
Weight: 60lb

Floor Mud is a factory prepared blend of high strength portland cement and carefully graded sand. Mix water to make semi-dry conventional floor mortar beds. Mix with 3701 Mortar Admix for added strength.

LA209TBED... 60lb ... Gray

coverage: based on thickness and dimensions



POWERHOLD

Powerhold PH-1 Powerbond Thinsset Mortar is for use with porcelain and ceramic

Mixed with water, exceeds ANSI A118.4 and ANSI A118.11

Interior use 50lb Bag

Gray PHTS150G
White PHTS150W

Coverage: 1/4"x1/4"x1/4" square notch 85-95 square feet
1/4"x3/8"x1/4" square notch 58-68 square feet



UZIN

LFTStandard: CX-20 PowerFlex

For most tile and stone installations. CX-20 provides long working time with fast cure time. Great for everyday use. 40lb Bag Gray UZCX2040G White UZCX2040W

coverage: 1/4 x 1/4 x 1/4 SQ 80-85 sq/ft coverage: 1/4 x 3/8 x 1/4 SQ 60-65 sq/ft



- For Large Format Tile
- Grout In 16 Hours
- Interior Only
- Economy Pricing

LFT Premium: CX-30 PowerFlex Plus

For most tile and stone installations. CX-30 provides long working time with fast cure time. Great for everyday use. Strong bonding. Submersible. 40lb Bag Gray UZCX3040G White UZCX3040W

coverage: 1/4 x 1/4 x 1/4 SQ 114-125 sq/ft coverage: 1/4 x 3/8 x 1/4 SQ 66-77 sq/ft



- For Large Format Tile
- Grout In 16 Hours
- Interior -Exterior
- Submersible

LFT Rapid Set: CX-33 PowerFlex Rapid

For most tile and stone installations. CX-30 provides long working time with fast cure time. Great for everyday use. Strong bonding. Submersible. 27.5lb Bag Gray UZCX3327G

coverage: 1/4 x 1/4 x 1/4 SQ 57-63 sq/ft coverage: 1/4 x 3/8 x 1/4 SQ 33-39 sq/ft



- For Large Format Tile
- Grout In 2.5 Hours
- Interior -Exterior
- Submersible - Flexible

CUSTOM



Prolite LFT

Lightweight - High Performance. For LFT & Thinsset applications.

White: CUPLMW30 30lb Gray: CUPLMG30 30lb

coverage: 1/4 x 1/4 x 1/4 SQ 80-85 sq/ft

coverage: 1/4 x 3/8 x 1/4 SQ 60-65 sq/ft



Versabond Thinsset

Lightweight - High Performance. Thinsset applications.

White: CUMTSW50 50lb Gray: CUMTSG50 50lb

coverage: 1/4 x 1/4 x 1/4 SQ 85-95 sq/ft

coverage: 1/4 x 3/8 x 1/4 SQ 60-67 sq/ft

Aluminum Ceramic Tile Trim



Edge Trim

98.5"

FU415400 1/4" Silver
FU415401 1/4" Nickel
FU415402 5/16" Silver
FU415403 5/16" Nickel
FU415404 5/16" Bronze
FU415406 3/8" Silver
FU415407 3/8" Nickel
FU415409 3/8" Bronze
FU415412 1/2" Nickel
FU415411 1/2" Silver



Reducer

98.5"

FU415414 5/16" Silver
FU415415 5/16" Nickel
FU415416 3/8" Silver
FU415417 3/8" Nickel
FU415419 1/2" Silver
FU415420 1/2" Nickel



TS Nosing

98.5"

FU415333 5/16" Nickel
FU415350 3/8" Silver
FU415334 3/8" Nickel



SE Nosing

98.5"

FU415346 3/8" Silver
FU415344 3/8" Nickel



SQ Corner

98.5"

FU415431 5/16" Silver
FU415432 5/16" Nickel
FU415435 3/8" Silver
FU415436 3/8" Nickel



Bullnose

98.5"

FU415421 5/16" Silver
FU415422 5/16" Nickel
FU415435 3/8" Silver
FU415436 3/8" Nickel



QTR Round

98.5"

FU415340 3/8" Silver
FU415342 3/8" Nickel



Carpet Tuck

98.5"

FU415374 5/16" Silver
FU415375 5/16" Nickel
FU415383 3/8" Silver
FU415384 3/8" Nickel



T-Bar 98.5" 3/8"

FU415265 Silver



LATICRETE GROUT

SpectraLock Pro Premium *Premium Epoxy*



- Epoxy Performance
- Anti-Sag
- Easy Application
- Commercial
- Residential
- High Performance

A patented, high performance epoxy grout which offers excellent color uniformity, durability, stain protection, and beautiful, full grout joints in an easy-to-use, non-sag formula. Interior and exterior on floors and walls. Liquid Base ... Commercial (4 units), Regular (1 unit), Mini (1 mini unit)

Colorant:

9lb (4 per commercial unit - 1 per full unit)

9# Stock Kent: All Colors

2.25# .. Stock Kent: Core Colors

2.25lb (1 per mini unit)

Stock Branch: Core Colors

Stock Branch: Top Ten

Item Code: LASLPPCOMM Commercial Unit / LASLPPFULL Full Unit / LASLPPMINI Mini Unit
Colorant 9lb LASLOCK12xx Colorant 2.25lb LASLOCK12xxM (xx=color number)

SpectraLock 2000 IG *Industrial Epoxy*



- Chemical Resistant
- Bacteria Resistant
- Enzyme Resistant
- Maximum Strength

A highly chemical resistant industrial grade epoxy grout for: ceramic tile, pavers, floor brick, packing house tile, and stone. Supplied as factory proportioned kits consisting of epoxy resin, hardener, and chemical resistant silica filler.

Stock: Kent 2lb unit (mix with 2 9lb Spectralock Color Units)

Item Code - LASLOCK2000IG2 2-Unit LASLOCK2000IG4 4-unit

Permacolor Select *Ultra-Premium Cement Grout*

- No Sealing Required
- Color Consistent
- No Efflorescence
- Joints 1/16" to 1/2"
- Interior-Exterior
- Base Powder
- Color Packets
- High Performance

PERMACOLOR Select is designed for virtually all types of residential and commercial installations and offers optimum performance on the most demanding exterior or interior applications. Easy to mix, grout and clean, PERMACOLOR Select is fast setting and suitable for joints 1/16" to 1/2".

Base Powder: LAPSBASE12 #12.5 LAPSBASE25 #25lb

Non-Sanded Base Powder: 8lb unit LAPSBASEN8

Color Packets: 2 per box (1 packet for 12.5lb / 2 packets for 25lb)

Stock Kent: All Colors

Stock Branch: Core Colors



Item Code LAPSCOLORxx xx= color number

Permacolor *Premium Cement Grout*



- 1/16" to 1/2"
- Color Consistent
- No Efflorescence
- Interior Exterior

PERMACOLOR Grout is a high performance grout that provides a grout joint that is dense, hard and will resist cracking. 25 pound mylar bags

Stock Kent: Core Colors

Stock Branch: Top Ten

Item Code: 25lb LAPG25xx xx= color number

8lb LAPG08xx xx=color number

Latisil Caulk *100% Silicone (10.3oz cartridge)*

Commercial grade 100% silicone caulk color matched to Laticrete colors Item Code:

LASILIC62xx xx=color number

Stock Kent: All Colors **Stock Branch:** Core Colors

Acrylic Caulk *(10.3oz cartridge)*

Sanded Caulk

Item Code: LASxx10 xx=color number

Stock Kent: All Colors Stock Branch: Core Colors

Un-Sanded Caulk

Item Code: LAUxx10 xx=color number

Stock: Kent - Natural Gray, Almond, Midnight Black,
Smoke Gray, Mocha, Latte



EDI STYLE

S-Lock Color 9# group 1-2 0098900000

S-Lock Color 9# group 3 0099000000

S-Lock Color 2.25# group 1-2 ... 0098700000

S-Lock Color 2.25# group 3 0098800000

RTU Ready To Use 0093500000\

Permacolor Select Colorant 0093100000

Permacolor 25# 0096100000

Permacolor 8# 0096200000

Latisil Silicone Caulk 0098400000

Acrylic Caulk 0091800000

Core Colors

(*) = Top Ten

#23 Antique White

#44 Bright White (*)

#56 Desert Khaki

#60 Dusty Gray (*)

#93 Fossil (*)

#27 Hemp

#97 Iron (*)

#40 Latte

#90 Light Pewter (*)

#17 Marble Beige

#22 Midnight Black

#95 Mink (*)

#35 Mocha

#24 Natural Gray (*)

#42 Platinum

#45 Raven (*)

#88 Silver Shadow

#89 Smoke Gray (*)

#78 Sterling Siler (*)

#94 Walnut

Standard

#85 ALMOND

#67 AUTUMN GREEN

#81 BUTTER CREAM

#66 CHESTNUT BROWN

#59 ESPRESSO

#09 FROSTY

#57 HOT COACO

#39 MUSHROOM

#61 PARCHMENT

#46 QUARRY RED

#30 SAND BEIGE

#34 SANDSTONE

#18 SAUTERN

#03 SILK

#91 SLATE GRAY

#96 STEAMSHIP

#87 STORMY GRAY

#58 TERRA COTTA

#52 TOASTED ALMOND

#53 TWILIGHT BLUE



SPECTRALOCK-1

EPOXY PERFORMANCE IN A PRE-MIX GROUT

Locks in color and blocks out stains - Available in all 40 LATICRETE colors and 12 SPECTRALOCK DAZZLE options. SPECTRALOCK 1 has uniform color consistency using SPECTRALOCK sand and is stain-proof. It is professionally formulated to ensure a long-lasting appearance, year after year. Strongest pre-mixed grout on the market (meets or exceeds ANSI A118.3 specific test designation 5.6) - Tested and evaluated in accordance to ANSI A118.3, SPECTRALOCK 1 outperforms traditional premixed grouts currently available on the market. With a PSI rating 10X higher than standard premixed grouts, it's the strongest grout available in a pre-mixed formula! It is resistant to cracking and rated for extra heavy foot traffic



Stock:

Kent Core Colors
Branch ... Top 8 Colors

LASL1xx (xx=color number)
 EDI Style# 0093600000



Stainproof (Residential)
 10X Stronger (than other pre-mix)
 No Sealer Required
 No Mixing Required
 Shower Use In 1-2 Days
 Submersion Use In 14 Days
 Interior - Exterior
 Shower Use In 1 Day
 Easy To Apply
 Submersible
 1 Gallon Units



XTRA-COLOR PREMIUM PLUS

New Improved High Performance Cementitious Grout

Now ANSI 118-7 & No Sealer Required

UZIN Xtra-Color Colored Tile & Stone Grout is a professional, high performance, polymer-modified cementitious tile and stone grout. UZIN XtraColor Grout offers advanced quality, superior color consistency, good stain resistance, and excellent workability with exceptional clean up and suitable for interior and exterior installations of tile and stone.

- * Joint Width 1/16" to 1/2"
- * For Sanded & Non-Sanded Applications
- * For Interior & Exterior Applications
- * Mixes Quickly To Creamy Consistency
- * Excellent Color Consistency
- * Extended Working Time
- * Easy Grout Haze Removal
- * 12 Hour Return To Service
- * Excellent for Porcelain & Glass Tile
- * Excellent With Stone
- * Radiant Heat Approved



New: Matching Caulk

100% Silicone Color Caulk
 Siliconized Acrylic Color Caulk

KENT STOCK

UZ83348 #101 Brilliant White
 UZ83374 #102 Whisper Gray
 UZ83350 #103 Warm White
 UZ83362 #104 Ash
 UZ83351 #105 Cool White
 UZ83352 #106 Cream
 UZ83354 #108 Antique White
 UZ83377 #109 Steel Gray
 UZ83379 #110 Charcoal Gray
 UZ83358 #114 Ivory
 UZ83355 #111 Bone
 UZ83363 #118 Clay
 UZ83364 #119 Pewter
 UZ83375 #129 Platinum Gray
 UZ83376 #130 Sterling Gray
 UZ83378 #131 Natural Gray
 UZ83380 #132 Black
 UZ83381 #133 Blue Gray
 UZ83382 #134 Raincloud

Non-Stock (min 2)

UZ83353 #107 Buff
 UZ83356 #112 Limestone
 UZ83357 #113 Sandstone
 UZ83359 #115 Khaki
 UZ83360 #116 Taupe
 UZ83361 #117 Latte
 UZ83365 #120 Smoke
 UZ83366 #121 Almond
 UZ83367 #122 Caramel
 UZ83368 #123 Truffle
 UZ83369 #124 Walnut
 UZ83370 #125 Chestnut
 UZ83371 #126 Tobacco
 UZ83372 #127 Coffee
 UZ83372 #128 Sherwood
 UZ83383 #135 Terra Cotta



StoneTech Ceramic & Stone Surface Care

BulletProof - Sealer



Advanced sealer, no equal on the market. Maximum protection on natural stone against the toughest oil and water based stains. Best suited for the most porous stone surfaces. Advanced penetrating microbond protection. Will not change appearance of stone.

- * water based formula
- * maximum stain protection
- * interior and exterior use
- * highest solids content

Recommended surfaces- Natural stone and masonry surfaces, such as: Honed and Textured Marble; Textured or Veined Granite; Limestone, Blue-stone, Travertine and Sandstone; Flagstone, Quartzite and Saltillo

pint ST3021216 *112 sf quart ... ST3020632 *225 sf



Quartz & Porcelain - Sealer



Designed to protect quartz, porcelain tile and medium to dense surfaces from oil, water and most stains. Will not change appearance of stone. Penetrates dense surfaces, especially Quartz countertops, like no other sealer on the market. Suitable for food service areas.

- * best sealer for dense surfaces
- * water based formula
- * also use as pre-grout sealer
- * interior and exterior use

Recommended surfaces- Engineered stone, natural stone, tile and grout, such as: Quartz, Marble, Granite, Porcelain Tile, Ceramic Tile

quart ST3140632 coverage *225 sf



Epoxy Grout Haze & Coating Stripper



Specifically formulated to safely break down epoxy grout haze and various coatings such as varnish, lacquer, sealers, wax, paint, polyurethane and acrylic from natural stone and tile. Water-based, no harsh solvents. Fast acting, non-runny gel formulation. Cleans in ten minutes or less.

quart ST316063211 gallon ... ST3161040111



Grout Release



Pre-apply Grout Release on stone surfaces to easily remove grout residue. Makes grout installation cleanup easier. Prevents grout from staining stone. Makes grout installation cleanup easier. Not for use on Porcelain tile. Water based formula.

gallon ST3050401 coverage *1700 sf



SM02 Advanced Grout Sealer

A quick & easy ready to use grout sealer that helps cement based grout looking new, for walls and floors.

- * Interior – Exterior use
 - * Can apply 2 hours after grouting
- # GUGS02 15oz

Heavy Duty - Sealer



Protects against most stains on a variety of stones. Lower solids content than Bulletproof, but equal to competitors' best sealers. Advanced penetrating microbond protection. Will not change appearance of stone.

- * high solids content
- * excellent stain protection
- * water based formula
- * interior and exterior use

Recommended surfaces- Natural stone and masonry surfaces, such as: Marble, Granite, Limestone, Slate, Bluestone, Quartzite, Travertine, Sandstone, Flagstone, Saltillo.
pint ST3091216 quart ST3090632 gallon ST3090401



Enhancer Pro Sealer



Heavy duty sealer that seals and enhances the surface of stone to a deep rich color. Changes the appearance by deepening and bringing out the colors of stone. Weather and UV-resistant for exterior use.

- * deepens & enhances color of stone
- * solvent based formula
- * interior and exterior use

Recommended surfaces- Natural stone, such as: Limestone, Slate, Bluestone, Travertine, Sandstone, Flagstone, Textured Stone, Flamed Stone, Tumbled Stone

quart ST3040632 coverage *115 sf



Mold & Milder Remover



STONETECH Mold & Mildew Stain Remover is a ready-to-use specialty cleaner that removes unsightly mold and mildew stains from natural stone surfaces. Will not degrade stone or grout. Fresh clean scent.

ST439062410 24oz Ready To Use Spray Bottle



DeepKlenz Cleaner



Formulated to easily power through and remove deep and stubborn grease, dirt and food stains. Safe on stone. Water based alkaline formula - 10.5 pH. Professional strength, no dilution. Cleans organic and inorganic matter. Must reseal tile/grout after use.

ST439062410 24oz Ready To Use Spray Bottle



Revitalizer Clean & Seal



Cleans and protects in one step. For everyday use. Built in sealer revitalizes and protects surfaces. Gentle formula is a neutral PH for safety of use.

ST328062411 24oz Ready To Use Spray Bottle



Soap Scum Remover



STONETECH® Soap Scum Remover is a ready-to-use specialty cleaner that safely removes soap scum from natural stone surfaces.

ST338062410 24oz Ready To Use Spray Bottle



LVP-LVT Aluminum Trim

12' Length 12 per tube Stock: Nickel Etched Nickel **Non-Stock (2 weeks)** Silver (EA) & Bronze (BRZ)

Stairnose

#625 2.5MM

FULVT625EA Silver
FULVT625EN Nickel
FULVT625BRZ Bronze

#630 3.0 MM

FULVT630EA Silver
FULVT630EN Nickel
FULVT630BRZ Bronze

#606 4.0MM

FULVT606EA Silver
FULVT606EN Nickel
FULVT606BRZ Bronze

#608 5.0MM

FULVT608EA Silver
FULVT608EN Nickel
FULVT608BRZ Bronze

#604 6.0MM

FULVT604EA Silver
FULVT604EN Nickel
FULVT604BRZ Bronze

#612 7.0MM

FULVT612EA Silver
FULVT612EN Nickel
FULVT612BRZ Bronze

Wide Cap

#610 5.0MM Wide

FULVT610EA Silver
FULVT610EN Nickel
FULVT610BRZ Bronze

#618 8.0mm Wide

FULVT618EA Silver
FULVT618EN Nickel
FULVT618BRZ Bronze

Reducer

#160 5.0 mm

FULVT160EA Silver
FULVT160EN Nickel
FULVT160BRZ Bronze

Divider

#103 3.0 mm

FULVT103EA Silver
FULVT103EN Nickel
FULVT103BRZ Bronze

#105 5.0 mm

FULVT105EA Silver
FULVT105EN Nickel
FULVT105BRZ Bronze

Carpet to LV

#130 3.0 mm

FULVT130EA Silver
FULVT130EN Nickel
FULVT130BRZ Bronze

#150 5.0 mm

FULVT150EA Silver
FULVT150EN Nickel
FULVT150BRZ Bronze

Reducer

#113 3.0 mm

FULVT113EA Silver
FULVT113EN Nickel
FULVT113BRZ Bronze

#115 5.0 mm

FULVT115EA Silver
FULVT115EN Nickel
FULVT115BRZ Bronze

Ramp Edge

* MF Silver Finish

FULVT121MF 4.5 - 7.5mm
FULVT123MF 2.5 - 3.5mm
FULVT124MF 2.5 - 4.5 mm
FULVT125MF 3.0 - 4.5 mm
FULVT127MF 3.0 - 5.0 mm
FULVT129MF 2.5 - 7.0mm

Joiner

* MF Silver Finish

FULVT128MF 2.5 - 3.0 mm
FULVT133MF 3.0 - 3.0 mm
FULVT155MF 5.0 - 5.0 mm

Ceramic

#230 3mm to 5/16"

FULVT230EA Silver
FULVT230EN Nickel
FULVT230BRZ Bronze

#235 3mm to 3/8"

FULVT235EA Silver
FULVT235EN Nickel
FULVT235BRZ Bronze

#102 Joiner

FULVT102EA Silver
FULVT102EN Nickel
FULVT102BRZ Bronze

Bevel Cap

#425 2.5mm

FULVT425EA Silver
FULVT425EN Nickel
FULVT425BRZ Bronze

#406 3.0 mm

FULVT406EA Silver
FULVT406EN Nickel
FULVT406BRZ Bronze

#404 4.0 mm

FULVT404EA Silver
FULVT404EN Nickel
FULVT404BRZ Bronze

#405 5.0 mm

FULVT405EA Silver
FULVT405EN Nickel
FULVT405BRZ Bronze

#407 7.0 mm

FULVT407EA Silver
FULVT407EN Nickel
FULVT407BRZ Bronze

#408 8.0 mm

FULVT408EA Silver
FULVT408EN Nickel
FULVT408BRZ Bronze

Square Cap

#925 2.5mm

FULVT925EA Silver
FULVT925EN Nickel
FULVT925BRZ Bronze

#906 3.0 mm

FULVT906EA Silver
FULVT906EN Nickel
FULVT906BRZ Bronze

#904 4.0 mm

FULVT904EA Silver
FULVT904EN Nickel
FULVT904BRZ Bronze

#905 5.0 mm

FULVT905EA Silver
FULVT905EN Nickel
FULVT905BRZ Bronze

#907 7.0 mm

FULVT907EA Silver
FULVT907EN Nickel
FULVT907BRZ Bronze

#908 8.0 mm

FULVT908EA Silver
FULVT908EN Nickel
FULVT908BRZ Bronze

Stair Riser

#330 3.0 mm

FULVT330EA Silver
FULVT330EN Nickel
FULVT330BRZ Bronze

#333 4.0 mm

FULVT333EA Silver
FULVT333EN Nickel
FULVT333BRZ Bronze

#331 5.0 mm

FULVT331EA Silver
FULVT331EN Nickel
FULVT331BRZ Bronze

Stair Edge

#340 3.0 mm

FULVT340EA Silver
FULVT340EN Nickel
FULVT340BRZ Bronze

#343 4.0 mm

FULVT343EA Silver
FULVT343EN Nickel
FULVT343BRZ Bronze

#341 5.0 mm

FULVT341EA Silver
FULVT341EN Nickel
FULVT341BRZ Bronze

Ramp LV to Carpet Tile

#120 FULVT120MF 4.5mm LV to 15mm Carpet

#122 FULVT122MF 7.0mm LV to 15mm Carpet

#126 FULVT126MF 3.0mm LV to 15mm Carpet

Carpet Tile to LV

FULVT350BREA
3mm LV to 5.3mm Carpet
Brushed Silver

Ceramic Retrofit

3/8" Ceramic Tile
3.00 mm to 12mm LV
FU415501 Silver
FU415500 Nickel
FU415502 Bronze

CERAMIC CUTTING TOOLS

Montolit 36"

This professional tile cutter can cut all types of tile, with thickness of 0 - 7/8", quickly and precisely. Diagonal cutting is safe and simple. Titanium wheel as standard (special for porcelain tile). Sprung tables for safe tile splitting and extendable support rod for large-format tiles. 36" Straight Cut & 26" Diagonal Cut.

item# GU93P3 ... cutter (29 lbs)

GU245T ... Titanium carbide cutting wheel



DEWALT

DED24000

* 10" blade 1.5amp

* Straight Cut 24"

* Diagonal Cut 18"

• DED24000



DED36000

* 10" blade 1.5 HP

* Straight Cut 36"

* Diagonal Cut 24"

• DED36000



• Stand sold separately

• #DED24001



4" Dry Polishing Pads


Diamond Polishing Pads utilize hardeners impregnated with industrial diamond to level and polish granite, marble, and concrete surfaces. Velcro backed for quick change Pads are 4" in diameter with a 5/8" arbor. Dry resin pads primarily used for granite and marble. Can be used on most floor polishers for concrete floors

1500 Grit BA72586

3000 Grit BA72587



Rigid Backer Pad
BA72597



Small Core Bits

- GUFAJ05 3/16" 5mm
- GUFAJ06 1/4" 6mm
- GUFAJ08 5/16" 8mm
- GUFAJ10 3/8" 10mm
- GUFAJ12 1/2" 12mm

(fits standard drills)



Large Core Bits

- GUFS25 1"
- GUFS27 1-1/16"
- GUFS30 1-3/16"
- GUFS35 1-3/8"
- GUFS40 1-1/2"

fits standard grinder



MONTOLIT

XAMURAY Series wet saw blade from Montolit is very fast cutting and gives a longer life compared to similar blades. The continuous rim blade is perfect for cutting Porcelain and Natural Stone.

#GUCPH250 10"



PERFETTO Series

Wet saw blade, use when exposed cuts need to be perfect and free of chipping. The 10 mm continuous rim blade has ultra fine diamonds for clean, smooth, factory like cut edges. Designed for cutting the hardest porcelain, glazed porcelain, ceramic, granite and marble tile, glass tile & mosaics.

#GUCPF250 10"




Mosaic Blade TCS

This small diameter dry use diamond blade from Montolit square cuts in tile for things like electrical panels, sockets and switch boxes. Fits standard grinders, 5/8" - 7/8" arbor. #GUTCS85 3-3/8" blade



CBX DNA Blade

10 mm rim with "DNA" Technology. For very fast and very high finish, extra long lasting. For Wet and dry use. Fits standard grinders. For: porcelain, stone & granite
#GUCBX100 4" #GUCBX115 4.5"



DEWALT

DE4764 10" XP4 long life wet cutting

DEA4769 10" XP4 long life glass tile wet cutting

DE4762 10" standard performance wet cutting

DE4766 7" standard performance wet cutting

DE4729 4" standard cutting wet-dry



MFG	ITEM#	STYLE	SIZE	WET - DRY	SPEED	PRICE	LONGEVITY	STONE	GLASS
Montolit	GUCPH250	Xamuray	10"	wet	fast	high	extreme	yes	no
Montolit	GUCPF250	Perfetto	10"	wet	slow	high	extreme	no	yes
Montolit	GUTCS85	Mosaic	3-3/8"	dry	slow	moderate	moderate	yes	no
Montolit	GUCBX100	CBX	4"	wet - dry	fast	moderate	long lasting	yes	no
Montolit	GUCBX115	CBX DNA	4.5"	wet - dry	fast	moderate	longlasting	yes	no
Montolit	GUCZ100	Green Line	4"	wet - dry	fast	standard	standard	no	no
Montolit	GUCZ115	Green Line	4.5"	wet	fast	standard	standard	no	no
Dewalt	DE4764	XP4	10"	wet	moderate	moderate	long lasting	yes	no
Dewalt	DEA4769	XP4 Glass	10"	wet - dry	moderate	moderate	long lasting	no	yes
Dewalt	DE4762	Standard	10"	wet	moderate	standard	standard	no	no
Dewalt	DE4766	Standard	7"	wet	moderate	standard	standard	no	no
Dewalt	DE4729	Standard	4"	wet - dry	moderate	standard	standard	no	no

Shower Pan

HYDRO BAN Pre-Sloped Shower Pans come with a factory installed drain to connect directly to the domestic waste line and insure the highest quality installation available! Pre-sloped, waterproof and ready to tile!

Center Drain:


LA93513660ABS 36" x 60"
LA93614860ABS 48" x 60"
LA93634848ABS 48" x 48"
LA93503660PVC 36" x 60"
LA93604860PVC 48" x 60"
LA93624848PVC 48" x 48"

Off Center Drain:

LA93713866ABS 36" x 66"
LA93703866PVC 38" x 66"

Lineal Pans

LA93493466LDP 34" x 66"
LA93493866LDP 38" x 66"



2-Part Shower Pan

Includes pan and fabric.

Center Drain

38" x 38" LA92433838CDP
48" x 48" LA92434848CDP
72" x 72" LA92437272CDP
48" X 72" LA92434872CDP
32" X 60" LA92433260CDP

Off Center Drain

32" x 60" LA92433260OCDP

Extension

HYDRO BAN Pre-Sloped Extension will let you increase the footprint of any center drain HYDRO BAN Pre-Sloped Shower installation. Easy to cut and size to fit larger showers
LA93722448EXT 24"x48"



Niches

Lightweight, durable, easy to transport, handle and adjust during installation with a factory installed, code approved waterproof coating
LA93111212S 12" x 12" Square
LA93121212WC 12" x 12" & 12" x 6"
LA93141220M 12" x 20" Mega



Curbs

Preformed Curb Overlay is designed to be used in any shower with 2"x4" curb construction to give a solid base for glass doors with pinned hinges.

LA93720004OVL Overlay 4'
LA93720008OVL Overlay 8'



Ramp

Pre-Sloped Ramps are used with the HYDRO BAN Pre-Sloped Showers.
LA93721360RMP 13.5" 60" Ramp

Board

Lightweight easy to handle and ready to tile wall board designed to be used in bonded tile or stone installations. It is made with a high-density, waterproof extruded polystyrene core and a reinforced, waterproof membrane on both sides.

LAHBB12 1/2" 3'x5'
LAHBB124X8 1/2" 4'x8"
LAHBB14 1/4" 3'x5'



Drains

Drains provide the option for virtually any type of installation. Linear Drains are available in five stock lengths. Drain Grates a designed for use with the Pre-Sloped Shower Pan to speed your installation saving time and money.

Tile-In Drain:

LA93906532TI 32" "Tile-In"
LA93916536TI 36" "Tile-In"



Linear Drains:

LA93856532BS 32" Brushed Stainless
LA93866536BS 36" Brushed Stainless
LA93856532PS 32" Polished Stainless
LA93866536PS 36" Polished Stainless



Drain Grates:

LA93960505BS Brushed Stainless
LA94160505PS Polished Stainless




Bench

HYDRO BAN Preformed Benches are constructed with the same top quality as the other HYDRO BAN preformed products and available in two sizes to match any installation.
LA93011616T Triangle 16"



Seats

HYDRO BAN Preformed Seat are available in three sizes; two triangular and one convex front. Made from high density polystyrene waterproof and ready to tile for high quality rapid shower installation.
LA93022323T Triangle 23" x 23"



Complete Kit

As durable as it is easy to install. Everything you need is included in the kit:

- * Wedges (4)
- * Drain Kit
- * Curb (48")
- * GoBoard-Pro Sealant

Fits most shower base sizes.

Maximum 96" x 96"

CERAMIC TILE HAND TOOLS

Montolit Nipper "Crab Nipper"

Titanium Blade Cutters
Scores and Cuts
center spring return
GU33W



Pro-GT Nipper

carbide tip - offset drop
curved handle
center spring return
5/8" straight jaw
BA70312



Grout Mixer

BA73500
28" shaft



Screws

box of 1,000
BA70811




Diamond Polishing Pad

Single sided Diamond Polishing Pad is ideal for
smoothing and finishing corners and cut edges of
hard materials like porcelain and granite tiles.

Can be used wet or dry.

GU DT060 60 Grit
GU DT200 200 Grit



Carbide Scoring

Cutter GU344



Margin Trowel

BA70900 2" x 5"
BA70911 2" x 6"
BA70912 2" x 8"

Bucket Heater

heats one gallon to 90° in
10 minutes UL approved
GU742G



LEVTEC LEVELING SYSTEM

Wedge system ceramic leveling is fast and economical.

Wedges (Reusable) .. #RULTWEDGE 250 bag

Clip 1.0mm (1/32") RULT132 250 bag

Clip 1.5mm (1/16") RULT116 250 bag

RULT116BLK. 2,000 box

Clip 3.0mm (1/8") RULT18 .. 250 bag

RULT18BLK 2,000 box

Protection Plate RUSDCVS 100 box

Application Plier RULTPLIER



SPIN DOCTOR



Break Away Base:

RUSD132 1.0MM 1/32" Red 250 bag

RUSD116 1.5MM 1/16" White 250 bag

RUSD116BULK 1.5MM 1/16" White 2,000 box

RUSD18 3.0mm 1/8" Black 250 bag

RUSD118BULK 3.0mm 1/8" Black 2,000 box

RUSD316 5.0mm 3/16" Gray 250 bag



Leveling Spinner

RUSDCAP 100 BAG



TORQUE MONSTER RUSD TM each



Protection Plate RUSD SDCVS 100 bag



Ceramic Tile Hand Tools

X-Large Hydro Sponge

RUSPXL 7.5" x 5.25" x 2.5"



X-Large Hydro Sponge 25-Pack


25 full size Hydro Sponges in a compact vacuum packed box of 25.

RUSPXLBOX

MicroFiber Sponge

Microfiber both sides

RUSPBLOCKMF 7.5" x 5.25" x 2"



Epoxy Sponge

RUSPEPOXY 7.5" x 5.25" x 2" x 2.5



Square Edge Sponge

Square Edge for fuller grout joints

RUSPBLOCK 7.5" x 5.25" x 2" x 2.5"



Scrubber Pad

White scrub pad RUSPSPW

Handle with velcro RUSPSPH



Epoxy Float

3-7/8" x 10-7/16" BA81300



Wall Float

4" x 12" 1/8" gum rubber

5/8" foam base BA81420



Margin Float

2" x 5.5" BA70922



Barwalt 81584 Grouting System

cut grouting time by as much as 30%. Includes: large bucket, 2 comfort grip handles sponges and scrub pads

BA81530 non-abrasive pad wall

BA81521 floor sponge

BA81511 wall sponge

BA81520 floor handle



European Notch Trowels








Sticks better with less pressure. The unique design reduces trapped air for better coverage than traditional trowels.

CU85P88G SMALL 1/4"x1/4"x1/4"

CU85P51G MEDIUM ... 1/4"x3/8"x1/4"

CU85P99G LARGE..... 1/2"x1/2"x1/2"



SPACERS							
	cross	long	tavy	tee	thin	hollow	hollow
1/16"	BA10000 (300)						BA16100 (500)
1/8"		BA11023 (1100)	GUTTS18 (500)	BA10120 (200)	BA10021 (200)	BA16020 (500)	BA16120 (500)
3/16" bag	BA11020 (1600)			BA10130 (150)	BA10031 (150)		
3/16" box		BA11033 (600)	GUTTS316 (500)			BA16030 (500)	BA16130 (500)
1/4"	BA11030 (850)	BA11043 (400)	GUTTS14 (100)	BA10140 (100)	BA10041 (100)	BA16040 (400)	BA16140 (400)
3/8"				BA10150 (50)		BA16050 (300)	
1/2"	BA10061 (35)						

Wedges

regular

#BA12370 (450)



large

#BA12380 (75)



Horseshoe Spacer

BA12000 ... 1/16" .. 270pk

BA12020 ... 1/8" 160pk

BA12030 ... 3/16" .. 120pk

BA12040 ... 1/4" 95pk





HEAT WELDING

Cordless 18V Power Groover

- Adjustable lateral guiding wheel for installing raised rubber floors
 - Improved chip & residue pan reduces dust emission
 - Automatic depth control disc eliminates damage to floor
 - Precise depth adjustment up to 3/16"
 - Easy Change Blade
 - Comes With Two 18V Lithium Batteries
 - Includes Case
- #WO89664



CORDLESS



Master Groover
12 tooth blade
dust bag & tool kit
carry case
#WO50159



Auto Welder
precise welding
automatically
* special order
#WO56260

Leister Weld Kit

Comes With:
Triac-S heat gun
5mm standard nozzle
5mm quick weld nozzle
joint planer & moon knife
pressure roller
cleaning brush & carry case
#WO70287



Triac Welder
Leister Triac-W Welder
#WO79710



Carbide
12 tooth carbide
grooving blade
#WO13459



Diamond
grooving blade
#WO13460



Carbide
12 tooth carbide
grooving blade
#CR971



Diamond
diamond
grooving blade
#CR972



Pencil Tip
#WO13465



Speed Tip
4mm #WO13466
5mm #WO41213



PUR Tip
PUR weld tip
#WO47049



LinoCut
vinyl seam cutter
#WO40262 trimmer
#WO13429 blades
(10pk)



Salvage Edge Trimmer
#WO15605 trimmer
#WO13358 blade (5pk)



Hot Spoon Kit
hot tip weld kit
with spoon tip
#WO72934
with spoon tip



Groover
adjustable groover
#WO13424 groover
#WO13425 blade



Pull Groover
rubber pull groover
#WO13842 groover
#WO13843 blade



A1 Groover
adjustable A1 groover
#WO13427 blade



Bent
moon knife
#WO13453



Flat
moon knife
#WO13451



Angled
moon knife
#WO13452



Mozart Knife
skiving knife #CR965
CR966 blade each



Guide Plate
WO13450



Leather Sheath
WO60078



Xacto Groover

#WO13485 w/6mm round
#WO13813 ... round blade 6mm
#WO13868 ... round blade 12mm
#WO13869 ... pointed blade
#WO13870 ... flat blade

Saws & Saw Blades



CORDLESS

Wolff Piranha 18v Cordless Jamb Saw

Precise Cutting Of Doors & Door Frames
Cut Wood And Laminate Flooring After Installation
Adjustable Height
Comes With 2 18V Lithium Batteries
Comes With Case & Charger
11,500 RPM Action
Lightweight 11 Pounds
#WO1029

18v Cordless



Crain #CR835 Heavy Duty Undercut Saw

Large 6.5" diameter blade can undercut and comes with a masonry blade for undercutting hearths. A diamond blade (No. 822) is available for undercutting tile and stone. Lower RPM motor throws less dust, dust control port. Undercuts most everywhere including inside corners. Includes case.



Undercut Saw Blades



CR821 carbide
fits 825 & 812



CR805 masonry
fits 825 & 812



CR836 carbide
fits 835 saw



CR804 carbide
old model
810 Jamb Saw

Crain #CR777 Toe-Kick Saw

#777 Toe-Kick Saw cuts flush to the inner wall of a toe space in a cabinet or counter to remove old underlayment. Comes with #787 3-3/8" Carbide-Tipped Blade ONLY for cutting wood. Clutch disengage to reduce kickback forces if the saw is abused by cutting curves or cutting backwards.



CR787
carbide blade


Crain CR368 Hack Saw

CR369 blades 2pk

Crain CR336 Jamb Saw

CR335 blade only

Crain CR176 Miter Box



Scratch Concealer

Dr. Schutz Scratch Concealer For Resilient Vinyl Flooring

You can't un-scratch ... but you can conceal.

Easy to use Spray can for general scratches and repair pen for deeper scratches. Fast and easy to use conceals most vinyl flooring scratches. Approximately 50 uses per can.
DRCONCEALERKIT Kit



Multi-Surface Cleaner

FRESHFLOORS

- * Carpet & Fabric
- * Vinyl Flooring
- * Laminate Flooring
- * Hardwood Flooring
- * Upholstery
- * Pet Areas
- * Multi-Surface Cleaner
- * Removes Odor
- * Streak Free



WFFRESHFLOORS 320z spray bottle
WFFRESHFLOORS1 ... gallon

Odor Removal

ODORGHOST

- * 100% Biodegradable
- * Safe to use around pets
- * 100% non-hazardous
- * Concentrated Formula
- * Pleasant Linen Scent
- * Easy Spray - Fast Dry
- #WFODORGHOST1



**BioEnzymatic
Odor Removal**

SunTouch Underfloor Warming

SunTouch Warm Wire

Warm Wire is an affordable alternative to mat systems. It is an economical way to warm floors and provide years

STOCK:

* **Kent**
** **Branch**



240 volt wire spool

* WA240020WBCST	20 sf
WA240030WBCST	30 sf
* WA240040WBCST	40 sf
WA240050WBCST	50 sf
* WA240060WBCST	60 sf
WA240070WBCST	70 sf
* WA240080WBCST	80 sf
WA240090WBCST	90 sf
* WA240100WBCST	100 sf
* WA240120WBCST	120 sf
* WA240140WBCST	140 sf
* WA240160WBCST	160 sf
* WA240180WBCST	180 sf
* WA240200WBCST	200 sf

120 volt wire spool

WA120010WBCST	10 sf
* WA120015WBCST	15 sf
** WA120020WBCST	20 sf
* WA120025WBCST	25 sf
** WA120030WBCST	30 sf
* WA120035WBCST	35 sf
** WA120040WBCST	40 sf
* WA120045WBCST	45 sf
** WA120050WBCST	50 sf
* WA120060WBCST	60 sf
** WA120070WBCST	70 sf
* WA120080WBCST	80 sf
* WA120090WBCST	90 sf
** WA120100WBCST	100 sf

120 volt wire kit

WA81020969	10 SF
WA81020970	15 SF
* WA81020971	20 SF
WA81020972	25 SF
* WA81020973	30 SF
WA81020974	35 SF
* WA81020975	40 SF
WA81020976	45 SF
* WA81020977	50 SF
* WA81020978	60 SF
WA81020979	70 SF
* WA81020980	80 SF
WA81020981	90 SF
* WA81020982	100 SF
WA81020983	110 SF
WA81020984	120 SF
WA81020985	130 SF
WA81020986	140 SF
WA81020987	150 SF



SunStat Command Programmable

Kits contain:
Warm Wire Spool
Connect Plus Wi-Fi
Sensor Wire

* Stock Kent

SunTouch Mat Kits

Ease of installation, thin weave mesh only 1/8" thick, high quality wire with Aramid reinforcing, ETFE high-temp insulation, twin wire construction, 10' power lead.

Kits contain:
Matt, Sensor
WiFi Thermostat
SF 20, 40, 60

**Kent
Stock
Only**



25' Wire Strap

3 spacing options; 2", 2.5" & 3". Anchor straps with screws on plywood, spray glue or hot glue to concrete # **WA321301ST**

Plastic Trowel

Used to apply thinset over the SunTouch wire, protects the wire from damage. # **WA300400**




Loud Mouth Monitor

Loud Mouth monitors elements during installation. It sounds an alarm if the heating elements are cut or damaged. # **WA423250**



Heating Wire Repair Kit

WA200299




Sensor Wire

Compatible sensor provides accurate sensing of the floor temperature. Low-profile sensor is designed to be embedded in mortar. # **WA500110**



**SunStat
Connect Plus
WIFI Thermostat**
Programmable
for 120 & 240 volts
WA500900SB



**SunStat
Command
Thermostat**
Programmable
for 120 & 240 volts
WA500850SB



**SunStat
Core
Thermostat**
for 120 & 240 volts
WA500825

R4 Relay

120-240 Dual Relay. Ties two separate systems together. Required when using more than one spool. Connects to SunStat thermostat. # **WA500980**

HeatMatrix



HeatMatrix is installed in both unheated and heated areas to provide crack-isolation, vapor management, and waterproofing.

- Crack Isolation
- Use Modified Thinset
- Adjustable Spacing
- Conforms to irregular shapes

WA8006GRY161ST 161 sq/ft roll

WA8006GRY40ST 40 sq/ft roll

WA8006GRY11ST 10 sq/ft mat



General Hand Tools

Metal Stair Tool cushion grip

CR152



100' Chalk Line

CR125
8oz white
CR080
8oz blue
CR080B



Tape Measure

33' 1" blade easy read
Powerhold PH130
Orcon OR13410

33'



10" Contour Gauge

Allows the quick and easy
transfer of irregular shapes
to flooring material
TET030120



Lifter Bar

CR157



Super Bar

PH159



Syringe

CR143



Straight Awl

CR195



Bent Awl

CR192



All White Rags

1lb bag
BURAGS1

10lb Box
BURAGS10



20oz Mallet

White Rubber
CR151



20oz Hammer

Wood Handle
CR332



Magnetic Drive Bar

GU151



Aviation Snips

CR543 Premium



Stand Up Nail Driver

Magnetic Tip
48" High Handle
12lb Weight
GU870



Mixer:
28" shaft
BA73500
5" blade



Carpet Clamp

CR844



Contractor Bags 20pk:

3mil WAAR1391



Invoice Book Flooring GU424



High Thrust Caulk Gun

30oz GU255
11oz GU250



Economy Caulk Gun

30oz GU105
11oz GU101



Wood Miter

Cut Quarter Round
replacement blade CR856
Cutter CR855



Buckets

Heavy Duty

ULS9941W 2.0 gal
ULS9942WS 3.5 gal
PHX7500 5.0 gal
PHX7500L lid (5g)



Tool Box 24" Metal

large metal tool box
with tray
PH158



Tool Box 24" Metal

large metal tool box
with tray / seam weight
OR13270



Door Pin Tool CR362



Tool Box 24" Plastic

large plastic tool box
handy wheels handle built in
seam weight
CR024



Nail Driver Magnetic CR172



Moisture Testing Electronic Meters

Note: moisture meters must be recertified by the manufacturer every year to meet ASTM requirements.



VersaTec 4-VS Moisture Meter

The VersaTec is a versatile meter, measuring:

* Pinless Scan Mode 1/4" and 3/4" Depth

* Pin Probe For Wood Moisture Reading

Item# LI4VS model number 4-VS

LIRH1BP
Blue-Peg Sensor

LIRHA
Blue-Peg Adaptor

Add a Blue-Peg Unit to measure ambient RH & Temperature

item# LIRH1BP Blue-Peg Sensor

item# LIRHA Blue-Peg Adaptor

Mini-Ligno MD0

Compact pin meter reads

6% to 25%



Protimeter MMS2 Meter

The MMS2 is a complete and cost effective professional moisture testing kit. Designed for the flooring community, it measures and records moisture content in concrete substrates and wood products. Runs on 9-volt battery.

Meter is a Pin Meter, Pinless Meter, Hygrometer, RH probe unit, and Surface Temp

REMOVABLE PROBES

ADJUSTABLE SLEEVES

TRANSFER INFORMATION TO EXCEL

complete kit item # TAP8800

meter only item # TAMMS2



Adjustable Sleeves:

TAP465020 20 pack TAP465050 50 pack TAP4650100 ... 100 pack

Wolff V1-D4 Moisture Meter

The V1-D4 is a professional hand-held meter used to measure the exact moisture content of concrete and other materials.

* Autocalibrating with Hold Function

* One-hand operation

* Provides an INDICATION of moisture

item# WO83113



Calcium Chloride & PH Testing

Gram Scale

battery operated

TA626MPB



pH Test Strips

includes 2 test strips

and water packet

TA62506PH



Calcium Chloride Test Packs

Single Pack

Includes pH strips TA62500POP

Tri-pack

3 test kits (no pH strips) TA62500PVP



Approximate Coverage Guidelines

(Remember to always refer to the manufacturer's installation requirements)

Flooring Adhesive Coverage Guidelines

carpet (broadloom) action & unitary	1/8 x 1/8 x 1/16	flat-V	T7T	10-12 sy/gallon
carpet (broadloom) smooth back	3/32 x 3/32 x 3/32	flat-V	T6T	12-14 sy/gallon
carpet (broadloom) double glue cpt to pad	1/8 x 3/16 x 1/8	U-notch	T8T	6-8 sy/gallon
carpet tile - vinyl back (trowel)	1/16 x 1/16 x 1/16	square	T4T	16-18 sy/gallon
carpet tile - vinyl back (roller)	roller	3/8" nap	TRL	25-30 sy/gallon
sheet vinyl (commercial)	1/16 x 1/16 x 1/16	square	T3T	18-20 sy/gallon
sheet vinyl (residential)	1/16 x 1/16 x 1/16	V-notch	T9T	20-25 sy/gallon
glassback sheet vinyl	roller	3/8" nap	TRL	25-30 sy/gallon
luxury vinyl (porous substrate)	1/16 x 1/32 x 1/32	U-notch	T2T	250-300 sq/ft gallon
luxury vinyl (non-porous substrate)	1/16 x 1/32 x 5/64	U-notch	T1T	300-350 sq/ft gallon
VCT (porous substrate)	1/16 x 1/32 x 1/32	U-notch	T2T	250-300 sq/ft gallon
VCT (non-porous substrate)	1/16 x 1/32 x 5/64	U-notch	T1T	300-350 sq/ft gallon
wood flooring (MS-Plus adhesive)	3/16 x 1/4 x 1/2	flat-V	T19T	60-70 sq/ft gallon

Ceramic & Stone Coverage Guidelines

mosaic & small tile (up to 3x3)	thinset	3/16 X 5/32	V-notch	T10T	120-130 sf/50lb bag
	mastic	3/16 X 5/32	V-notch	T10T	50-60 sf/gallon
4.25 x 4.25 wall tile	thinset	1/4 x 3/16	V-notch	T11T	110-120 sf/50lb bag
	mastic	1/4 x 3/16	V-notch	T11T	40-50 sf/gallon
to 8" x 8" tile	thinset	1/4 x 1/4 x 1/4	square	T13T	80-90 sf/50lb bag
	mastic	1/4 x 1/4 x 1/4	square	T13T	30-40 sf/gallon
12" x 12" tile	thinset	1/4 x 3/8 x 1/4	square	T14T	60-65 sf/50lb bag
	mastic	1/4 x 3/8 x 1/4	square	T14T	25-35 sf/gallon
large format tile up to 20" x 20"	thinset	1/4 x 3/8 x 1/4	square	T14T	60-65 sf/50lb bag
slate & pavers	thinset	1/4 x 3/8 x 1/4	square	T14T	60-65 sf/50lb bag
marble & granite	thinset	1/2 x 1/2 x 1/2	square	T15T	40-45 sf/50lb bag

Approximate Coverage Guidelines

(Always refer to the manufacturer's installation requirements)



WASHINGTON

05 Bellevue, WA
13420 NE 16th St. "B", 98005
Phone: 425-641-3798
Fax: 425-641-7362

06 Everett, WA
2111 38th St., 98201
Phone: 425-252-9475
Fax: 425-257-0215

14 Richland, WA
2680 N. Columbia Ctr., 99352
Phone: 509-783-3097
Fax: 509-735-3688

50 Kent, WA
6821 South 216th St., 98032
Phone: 206-282-3770
Fax: 206-216-0522

04 Spokane, WA
3904 East Ferry, 99202
Phone: 509-533-6638
Fax: 509-533-6641

02 Tacoma, WA
5211 S Washington, 98409
Phone: 253-474-0536
Fax: 253-474-0537

03 Yakima, WA
720 North 16th #11, 98902
Phone: 509-457-5123
Fax: 509-457-5141

OREGON

61 Eugene, OR
191 Seneca Road, 97402
Phone: 541-686-5015
Fax: 541-484-4437

62 Medford, OR
730 Rossanley Drive, 97501
Phone: 541-779-2033
Fax: 541-779-5778

60 Portland, OR
6032 No. Cutter Circle, 97217
Phone: 503-286-8686
Fax: 503-286-5109

63 Bend, OR
2543 NE 4th Street, 97701
458-256-6894
Fax: 206-216-0522

MONTANA

12 Billings, MT
1400 S 24th St W, 59102
Phone: 406-248-2125
Fax: 406-248-2182

15 Great Falls, MT
1117 7th St. S Bldg 4, 59405
Phone: 406-454-3985
Fax: 406-454-3987

13 Kalispell, MT
195 Kelly Road, 59901
Phone: 406-755-8022
Fax: 406-755-8024

16 Missoula, MT
2409 Dearborn Ave, 59801
Phone: 406-721-6639
Fax: 406-721-6790

IDAHO

17 Boise, ID
12010 West Executive, 83713
Phone: 208-375-3695
Fax: 208-375-4079

ALASKA

80 Anchorage, AK
624 West Potter Dr, 99518
Phone: 907-562-7751
Fax: 907-562-7754

HAWAII

85 Honolulu-Aiea, HI
98-055 Kamehameha Hwy
Suite C-1, 96701
Phone: 800-562-2857
Fax: 808-626-5251

T&A Central Order Desk 800-562-2857

Monday-Friday 7:00 am to 4:30 pm (PST) orderdesk@tasupply.com fax: 206-216-0522 www.tasupply.com

"Proudly Serving the Pacific Northwest Since 1960"